INDEX TO VOLUME 82

The Index for Volume 82 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Abdul-Wahid, O. A. see Moustafa and Abdul-Wahid 129
Aberrant dikaryons
  Lycoperdaceae 17–21
Aerobic metabolism
  fungi in Spartina 791–793
Ahmadjian, V. see Leuckert et al. 370
Aldwinckle, H. S. see Jones and Aldwinckle 802
Alexander, T. see Toth et al. 519
Allelic variation
  Morchella esculenta 227–234
Almeida, R. T. and N. C. Schenck. A revision of the genus Sclerocystis (Glomaceae, Glomales). 703–714
Amano, K. Host range and geographical distribution of the powdery mildew fungi; review 533
Aminopeptidase
  Cylindrocladium identification 436–443
An, Z.-Q., J. W. Hendrix, D. E. Hershman and G. T. Henson. Evaluation of the "most probable number" (MPM) and wet-sieving methods for determining soil-borne populations of endogonaceous mycorrhizal fungi. 576–581
Anaerobic growth
  Chytridiomycetes 261–263
Anagnostakis, S. L. Recovery of additional flat mutants of Cryphonectria parasitica. 515–518
Andary, C. see Rapior et al. 243
Anisole
  in Nolanea and Entoloma 786–787
Ann, P. J. and W. H. Ko. Growth rate and colony morphology of progenies of zoospores and selfed oospores of Phytophthora parasitica. 693–697
Asthana, A. and C. A. Shearer. Antagonistic activity of Pseudohalonectria and Ophioceras. 554–561
Ayres, P. G. see Pegg and Ayres 538
Bacon, C. W. see Plattner et al. 698
Balkema, A. A. see Bas et al. 664
Ballard, T. M. see Chapman et al. 526
Balon, M. see Hennebert et al. 800
Bandoni, R. J. see Oberwinkler et al. 48
———. see Oberwinkler et al. 782
Bandoni, R. J. and M. Zang. On an undescribed Tremella from China. 270–273
Banik, M. see Burdsall and Banik 415
Baroni, T. J. [Review of] New generation guide to the fungi of Britain and Europe. 666
———. see Largent and Baroni 410
Barr, M. E. Prodromus to class Loculoascomycetes; review 150
———. [Review of] Illustrated genera of Ascomycetes. 799
Barron, G. L. and E. Szijarto. A new genus of the hyphomycetes endoparasitic in rotifers. 134–137
Bas, C., T. Kuyper, M. E. Noordeloos, E. C. Vellinga and A. A. Balkema, Eds. Flora agaracina Neerlandica, Vol. 1. A. General part. B. Special part: Entolomataceae; review 664
Basidiospores
  ultrastructure of in Gymnosporangium juniperi-virginianae 236–242
Baudoin, A. B. A. M., G. R. Hooper, D. E. Mathre and R. B. Carroll, Eds. Laboratory exercises in plant pathology: An instructional kit; review 408
Bauer, R. see Oberwinkler and Bauer 671
———. see Oberwinkler et al. 48
Bayman, P. and O. R. Collins. Meiosis and premeiotic DNA synthesis in a homothallic Coprinus. 170–174
Beckman, C. H. The nature of wilt diseases in plants; review 668
Bennett, A. R. and D. F. Hindal. Mycelium formation and calcium oxalate production by dsRNA-free virulent and dsRNA-containing hypovirulent strains of Cryphonectria parasitica. 358–363
Bennett, E. see Toth et al. 519
Benzaldehyde
  Agaricus augustus 276–277
Berch, S. M. see Chapman et al. 526
Bermudes, D., V. L. Gerlach and K. H. Nealson. Effects of culture conditions on mycelial growth and luminescence in Panellus stypticus. 295–305
Betina, V. Mycotoxins: Chemical, biological, and environmental aspects; review 285
Bhat, D. J. see Rasheed et al. 390
Bills, G. F. see Farr et al. 405
Biocontrol
  Gnomonia leptostyla by microarthropods 387–390
Biography
  Margaret B. Church 144–147
Bioluminescence
  Panellus stypticus 295–305, 0595
Blackwell, M. see Rossi and Blackwell 138
Blanchette, R. A. [Review of] Biodeterioration 7: Selected papers presented at the seventh international biodeterioration symposium, Cambridge, UK, 6–11 Sept. 1987. 149
Blaszkowski, J. Polish Endogonaceae. VII. Acaulospora capsicula sp. nov. 794–798
Boll rot of cotton
  Colletotrichum 82–90
Bottalico, A. see Logrieco et al. 501
Boulenger, P. see Hennebert et al. 800
Bradshaw, D. E. see Largent et al. 786
Brown, D. see Clark et al. 385
Bruns, T. D., R. Fogel and J. W. Taylor. Amplification and sequencing of DNA from fungal herbarium specimens. 175–184
Buczacki, S. New generation guide to the fungi of Britain and Europe; review 666

INDEX TO VOLUME 82

The Index for Volume 82 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Abdul-Wahid, O. A. see Moustafa and Abdul-Wahid 129
Aberrant dikaryons
  Lycoperdaceae 17–21
Aerobic metabolism
  fungi in Spartina 791–793
Ahmadjian, V. see Leuckert et al. 370
Aldwinckle, H. S. see Jones and Aldwinckle 802
Alexander, T. see Toth et al. 519
Allelic variation
  Morchella esculenta 227–234
Almeida, R. T. and N. C. Schenck. A revision of the genus Sclerocystis (Glomaceae, Glomales). 703–714
Amano, K. Host range and geographical distribution of the powdery mildew fungi; review 533
Aminopeptidase
  Cylindrocladium identification 436–443
An, Z.-Q., J. W. Hendrix, D. E. Hershman and G. T. Henson. Evaluation of the "most probable number" (MPM) and wet-sieving methods for determining soil-borne populations of endogonaceous mycorrhizal fungi. 576–581
Anaerobic growth
  Chytridiomycetes 261–263
Anagnostakis, S. L. Recovery of additional flat mutants of Cryphonectria parasitica. 515–518
Andary, C. see Rapior et al. 243
Anisole
  in Nolanea and Entoloma 786–787
Ann, P. J. and W. H. Ko. Growth rate and colony morphology of progenies of zoospores and selfed oospores of Phytophthora parasitica. 693–697
Asthana, A. and C. A. Shearer. Antagonistic activity of Pseudohalonectria and Ophioceras. 554–561
Ayres, P. G. see Pegg and Ayres 538
Bacon, C. W. see Plattner et al. 698
Balkema, A. A. see Bas et al. 664
Ballard, T. M. see Chapman et al. 526
Balon, M. see Hennebert et al. 800
Bandoni, R. J. see Oberwinkler et al. 48
———. see Oberwinkler et al. 782
Bandoni, R. J. and M. Zang. On an undescribed Tremella from China. 270–273
Banik, M. see Burdsall and Banik 415
Baroni, T. J. [Review of] New generation guide to the fungi of Britain and Europe. 666
———. see Largent and Baroni 410
Barr, M. E. Prodromus to class Loculoascomycetes; review 150
———. [Review of] Illustrated genera of Ascomycetes. 799
Barron, G. L. and E. Szijarto. A new genus of the hyphomycetes endoparasitic in rotifers. 134–137
Bas, C., T. Kuyper, M. E. Noordeloos, E. C. Vellinga and A. A. Balkema, Eds. Flora agaracina Neerlandica, Vol. 1. A. General part. B. Special part: Entolomataceae; review 664
Basidiospores
  ultrastructure of in Gymnosporangium juniperi-virginianae 236–242
Baudoin, A. B. A. M., G. R. Hooper, D. E. Mathre and R. B. Carroll, Eds. Laboratory exercises in plant pathology: An instructional kit; review 408
Bauer, R. see Oberwinkler and Bauer 671
———. see Oberwinkler et al. 48
Bayman, P. and O. R. Collins. Meiosis and premeiotic DNA synthesis in a homothallic Coprinus. 170–174
Beckman, C. H. The nature of wilt diseases in plants; review 668
Bennett, A. R. and D. F. Hindal. Mycelium formation and calcium oxalate production by dsRNA-free virulent and dsRNA-containing hypovirulent strains of Cryphonectria parasitica. 358–363
Bennett, E. see Toth et al. 519
Benzaldehyde
  Agaricus augustus 276–277
Berch, S. M. see Chapman et al. 526
Bermudes, D., V. L. Gerlach and K. H. Nealson. Effects of culture conditions on mycelial growth and luminescence in Panellus stypticus. 295–305
Betina, V. Mycotoxins: Chemical, biological, and environmental aspects; review 285
Bhat, D. J. see Rasheed et al. 390
Bills, G. F. see Farr et al. 405
Biocontrol
  Gnomonia leptostyla by microarthropods 387–390
Biography
  Margaret B. Church 144–147
Bioluminescence
  Panellus stypticus 295–305, 0595
Blackwell, M. see Rossi and Blackwell 138
Blanchette, R. A. [Review of] Biodeterioration 7: Selected papers presented at the seventh international biodeterioration symposium, Cambridge, UK, 6–11 Sept. 1987. 149
Blaszkowski, J. Polish Endogonaceae. VII. Acaulospora capsicula sp. nov. 794–798
Boll rot of cotton
  Colletotrichum 82–90
Bottalico, A. see Logrieco et al. 501
Boulenger, P. see Hennebert et al. 800
Bradshaw, D. E. see Largent et al. 786
Brown, D. see Clark et al. 385
Bruns, T. D., R. Fogel and J. W. Taylor. Amplification and sequencing of DNA from fungal herbarium specimens. 175–184
Buczacki, S. New generation guide to the fungi of Britain and Europe; review 666

Burdsall, H. H. Taxonomic mycology; concerns about the present; optimism for the future. 1–8
———. [Review of] Morelling: The joys of hunting and preparing morel mushrooms. 411
Burdsall, H. H. and M. Banik. Serological differentiation of three species of Armillaria and Lentinula edodes by enzyme-linked immunosorbent assay using immunized chickens as a source of antibodies. 415–423
Burgess, L. W. see Nelson et al. 99
Butler, E. E. [Review of] Soilborne plant pathogens: Management of diseases with macro- and microelements. 538
Calcixeroll soil
fungi 715–725
Calleja, G. B. see Yoo et al. 43
Callus
Cryptodiaporthe growth on Acer callus 569–574
Calvo, Mª. A. see Larrondo and Calvo 396
Cao, J.-Z. and B. Liu. A new species of Helvella from China. 642–643
Cao, J.-Z., Li Fan and Bo Liu. Some species of Otidea from China. 734–741
Carpenter, S. E. see Crawford et al. 759
Carroll, R. B. see Baudoin et al. 408
Celia, D. A. see Padgett and Celia 791
Chamuris, G. P. see Farr et al. 405
Chamuris, G. P. and C. J. K. Wang. Stenocephalum, a new genus for Rhinotrichum subalutaceum (Hyphomycetes). 528–532
Chang, H.-S. see Ho et al. 659
Chapman, W. K., S. M. Berch and T. M. Ballard. In vitro growth of ectomycorrhizal fungi on dilute agar. 526–527
Chase, T. E. and R. C. Ullrich. Five genes determining intersterility in Heterobasidion annosum. 73–81
———. Genetic basis of biological species in Heterobasidion annosum: mendelian determinants. 67–72
Chelkowski, J. Ed. Fusarium: Mycotoxins, taxonomy and pathogenicity; review 665
Chemotaxonomy
Cortinarius subg. Leprocybe 243–247
China
Otidea 734–741
Christensen, M. [Review of] Aspergillus species on stored products. 407
Church Margaret B.
biography 144–147
Cladistics
vesicular-arbuscular mycorrhizae 192–207
Clark, J. and S. L. Stephenson. Didymium iridis reproductive systems: new additions. 274–276
Clark, J., D. Brown and F.-S. Hu. Growth of the myxomycete Stemonitis flavogenita on a defined minimal medium. 385–386
Cobb-Poulle, L. A. see Larsen and Cobb-Poulle. 801
Coffell, R., M. E. S. Hudspeth and R. Meganathan. Biochemical evidence for the exclusion of Zoophagus insidians from the Oomycetes. 326–331
Coffey, M. D. see Förster et al. 306
Cole, R. J. see Nelson et al. 562
Collins, O. R. see Bayman and Collins 170
Colonization
measuring in vesicular-arbuscular mycorrhizae 519–522
Conifers
Cercospora-like fungi 313–325
Conners, I. L.
obituary 155–159
Cook, R. J., G. A. Zentmeyer and E. B. Cowling Eds. Annual review of phytopathology, Vol. 27; review 540
Cook, R. J., G. A. Zentmeyer and E. B. Cowling, Eds. Annual review of phytopathology, Vol. 26; review 411
Courtecuisse, R. see Rapior et al. 243
Cowling, E. B. see Cook et al. 411, 540
Crane, J. L. see Shearer et al. 496
Crawford, R. H., S. E. Carpenter and M. E. Harmon. Communities of filamentous fungi and yeast in decomposing logs of Pseudotsuga menziesii. 759–765
Culberson, C. F. see Leuckert et al. 370
Cultural characteristics
Veluticeps 622–640
Phytophthora parasitica 693–697
Polyporus pseudobetulinus 582–592
Culture
Antrodia 185–190
ectomycorrhizal fungi 36–42, 0526
DNA synthesis
Coprinus patouillardii 170–173
DNA
vesicular-arbuscular mycorrhizal spores 263–267
Delp, C. Ed. Fungicide resistance in North America; review 284
Desjardin, D. E. see Horak et al. 493
Diazonium blue B
use with ectomycorrhizal fungi 36–42
2,7-dichlorolichexanthone, Lecanora dispersa 370–378
Diederich, P. see Lowen and Diederich 788
Diploid vegetative phase
Phytophthora parasitica 693–697
Distribution patterns
cellular slime molds 114–118
Dodge, C. W.
obituary 160–164
Doane, C. see Toth et al. 519
Dorner, J. W. see Nelson et al. 562
Dorworth, C. E. see Sieber et al. 569
Dreyfuss, M. M. see Petrini et al. 444
Duncan, E. G. and S. M. Keay. Aberrant dikaryons in the Lycoperdaceae. 17–22
ELISA
taxonomy of Armillaria and Lentinula 415–422
Eastburn, D. M. [Review of] Compendium of citrus diseases. 539
———. [Review of] Fungicide resistance in North America. 284
Ecology
Fusarium species in Southern Africa soil 727–732
cellular slime molds 114–118
fungal communities on lichens 444–451
fungi and termites 289–294
fungi in calcixeroll soil 715–725
fungi on decomposing logs of Pseudotsuga menziesii 759–765

mycorrhizae in high arctic plants
Ectomycorrhizae
axenic culture 36–42
polyphenol oxidase activity 424–434
Eggins, H. O. W. see Houghton et al. 149
Einhellinger, A. Die Gattung Russula in Bayern; review 799
El-Ani, A. S. In vivo and in vitro nuclear conditions in the hyphae of Fusarium solani and Aspergillus flavus. 566–568
Electrophoresis
Schizophyllum commune 505–508
Elwood, H. see Förster et al. 306
Endophytic fungi
Cryptodiaporthe hystrix 569–574
Engelhard, A. W. Ed. Soilborne plant pathogens: Management of diseases with macro- and microelements; review 538
Equine leukoencephalomalacia
Fusarium moniliforme 698–702
Erwin, D. C. see Jiang and Erwin 107
Evans, H. C. see Samson et al. 148
Evans, M. M. and N. L. Samuels. Morelling: The joys of hunting and preparing morel mushrooms; review 411
Evolution
Heterobasidion annosum 73–81
zoosporic fungi 306–312
Fan, Li see Cao et al. 734
Farr, D. F., G. F. Bills, G. P. Chamuris and A. Y. Rossman. Fungi on plants and plant products in the U.S.; review 405
Farr, M. L. see Stephenson and Farr 513
Fish pathogen
Aphanomyces 364–368
Flat mutants
Cryphonectria parasitica 515–518
Fogel, R. Leucogaster columellatus is a Sclerogaster. 655–657
———. see Bruns et al. 175
———. see Pacioni and Fogel 617
Förster, H., M. D. Coffey, H. Elwood and M. L. Sogin. Sequence analysis of the small subunit ribosomal RNA's of three zoosporic fungi and implications for fungal evolution. 306–312
Fortin, J. A. see Kope and Fortin 350
Frank, P. W. see Johnston et al. 669
Fuente, A. T. de la see Rapior et al. 243
Fungal antagonism
by Pseudohalonectria and Ophioceras 554–561
Fungal communities
fungi on decomposing logs of Pseudotsuga menziesii 759–765
on lichens 444–451
Gardner, D. E. New rusts on endemic Hawaiian Rubiaceae. 141–144
Garnsey, S. M. see Whiteside et al. 539
Gerlach, V. L. see Bermudes et al. 295
Gessner, R. V. see Yoon et al. 227
Ginns, J. Aleurodiscus occidentalis sp. nov., A. thujae sp. nov., and the A. tsugae complex in North America. 753–758
———. Ibra Lockwood Conners, 1894–1989. 155–159
———. [Review of] La Merule, Science, Techinque & Droit. 800
———. [Review of] The clavarioid fungi of New Zealand. 409
Glawe, D. A. [Review of] A morel hunter's companion. A guide to the true and false morels of Michigan. 283
———. [Review of] Annual review of ecology and systematics. 669
———. [Review of] Annual review of phytopathology, vol. 27. 540
———. [Review of] Biological control of pests, pathogens, and weeds: developments and prospects. 287
———. [Review of] Compendium of apple and pear diseases. 802
———. [Review of] Diagnostic procedures for mycotic and parasitic infections. 668
———. [Review of] Laboratory exercises in plant pathology: An instructional kit. 408
———. [Review of] Some corticolous and lignicolous Pyrenomycetes s. lat. (Ascomycetes) on Salix in Troms, N Norway. 411
———. see Huhndorf and Glawe 541
Gleason, F. H. and G. L. R. Gordon. Lactate dehydrogenases in obligately anaerobic Chytridiomycetes from the rumen. 261–263
Glenn, M. G. see Viera and Glenn 263
Glycogen
Zoophagus insidians 326–331
Goos, R. D. Review of the anamorph genus Xenosporium. 742–752
Gordon, G. L. R. see Gleason and Gordon 261
Gowan, S. P. Cliostomum (lichen-forming Ascomycotina) in North American and Europe. 766–771
Grace, J. K. see Zoberi and Grace 289
Green June beetle
yeast flora of 471–478
Grigg, R. D. and M. C. Williams. Cyclical presence of Amoebidium parasiticum on mosquito (Culicidae) hosts in central Nebraska. 132–134
Hake, U. see Petrini et al. 444
Halling, R. E. see Singer et al. 452
Hanlin, R. T. Illustrated genera of Ascomycetes; review 799
———. [Review of] Host range and geographical distribution of the powdery mildew fungi. 533
Hanlin, R. T. and C. W. Mims. Everett Stanley Luttrell, 1916–1988. 9–16
Harmon, M. E. see Crawford et al. 759
Harper, K. T. see McKnight et al. 91
Harrington, T. C. [Review of] Phellinus (Hymenochaetaceae) a survey of the world taxa. 801
———. see Rizzo et al. 651
Hashimoto, K. see Natori et al. 536
Haskins, E. F. Plasmodial coalescence in Stemonitis flavogenita (Myxomycetes, Stemonitales). 643–647
Hearth, J. H. and D. E. Padgett. Salinity tolerance of an Aphanomyces isolate (Oomycetes) and its possible relationship to ulcerative mycosis (UM) of Atlantic menhaden. 364–369
Hendrix, J. W. see An et al. 576

Hennebert, G. L., P. Boulenger and M. Balon. La Merule, Science, Techinque & Droit; review 800
Hennon, P. E. Fungi on Chamaecyparis nootkatensis. 59–66
Henson, G. T. see An et al. 576
Hershman, D. E. see An et al. 576
Hesseltine, C. W. Margaret B. Church, 1889–1976. 144–147
———. [Review of] Fusarium: Mycotoxins, taxonomy and pathogenicity. 665
———. [Review of] Mycotoxins and phycotoxins 1988. 536
———. [Review of] Mycotoxins: Chemical, biological, and environmental aspects. 285
Hesseltine, C. W., M. K. Mahoney and S. W. Peterson. A new species of Absidia from an alkali bee brood chamber. 523–526
Heterochrony
Fenestella princeps 541–548
Heterothallism
Didymium iridis 274–276
Hetrick, B. A. D. and G. W. T. Wilson. Relationship of native and introduced mycorrhizal fungi to mycorrhizal dependence of Andropogon gerardii and Koeleria pyranidata. 779–782
Heyburn, T. see Powell et al. 460
Higgins, S. M. see Lilly et al. 505
Hindal, D. F. see Bennett and Hindal 358
Ho, H. H., S. Y. Hsieh and H.-S. Chang. Halophytophthora epistomium from mangrove habitats in Taiwan. 659–662
Hodges, C. S. see Sutton and Hodges 313
Homothallism
Coprinus patouillardii 170–173
Hooper, G. R. see Baudoin et al. 408
Horak, E., D. E. Desjardin and R. H. Petersen. A new species of Melanotus from the southern Appalachian mountains. 493–495
Houghton, D. R., R. N. Smith and H. O. W. Eggins. Biodeterioration 7: Selected papers presented at the seventh international biodeterioration symposium, Cambridge, UK, 6–11 Sept. 1987; review 149
Howard, R. J. see Rossman et al. 509
Hsieh, S. Y. see Ho et al. 659
Hu, F.-S. see Clark et al. 385
Huaan, W. see Jianzhe et al. 285
Hudspeth, M. E. S. see Coffell et al. 326
Hughes, S. J. Schiffnerula corni n. sp., and its Sarcinella and Questieriella synanamorphs from Quebec. 657–658
Huhndorf, S. M. and D. A. Glawe. Pycnidial development from ascospores of Fenestella princeps. 541–548
Humber, R. A. [Review of] Atlas of entomopathogenic fungi. 148
Hutchison, L. J. Studies on the systematics of ectomycorrhizal fungi in axenic culture. III. Patterns of polyphenol oxidase activity. 424–435
Hutchison, L. J. and R. C. Summerbell. Studies on the systematics of ectomycorrhizal fungi in axenic culture. Reactions of mycelia to diazonium blue B staining. 36–42
Hyphal interaction
Pseudohalonectria and Ophioceras 554–561
Hypovirulence
Cryphonectria parasitica 358–3672
Immunology
taxonomy of Armillaria and Lentinula 415–422
Incompatibility
Echinodontium tinctorium 332–340
Heterobasidion annosum 67–72
Pisolithus arhizus 350–356
Infection
vesicular-arbuscular mycorrhiza 268–269
Intersterility
Heterobasidion annosum 67–72
Jenkins, D. T. see Miller et al. 120
Jeschke, N. and P. E. Nelson. Fusarium species isolated from soil samples collected at different altitudes in the Transkei, Southern Africa. 727–733
Jiang, J. and D. C. Erwin. Morphology, plasmolysis, and tetrazolium bromide stain as criteria for determining viability of Phytophthora oospores. 107–113
Jianzhe, Y., M. Xiaolan, M. Qiming, Z. Yichen and W. Huaan. Icones of Medicinal fungi from China; review 285
Johnson, A. see Leuckert et al. 370
Johnson, B. F. see Yoo et al. 43
Johnson, D. T. see Vishniac and Johnson 471
Johnston, R. F., P. W. Frank and C. D. Michener. Annual review of ecology and systematics; review 669
Jones, A. L. and H. S. Aldwinckle, Eds. Compendium of apple and pear diseases; review 802
Ju, Y.-M. and J. D. Rogers. Astrocystis reconsidered. 342–349
Keay, S. M. see Duncan and Keay 17
Kessler, K. J., Jr. Destruction of Gnomonia leptostyla perithecia on Juglans nigra leaves by microarthropods associated with Elaeagnus umbellata litter. 387–390
Key
Absidia 525–526
Aleurodiscus 753
Cercospora-like fungi on conifers 313–314
Cliostomum 767
Otidea from China 734–735
Sclerogaster 656
Veluticeps 624
Xenosporium 743
Ko, W. H. see Ann and Ko 693
Kohn, L. M. and E. Stasovski. The mycorrhizal status of plants at Alexandra Fiord, Ellesmere Island, Canada, a high arctic site. 23–35
Kope, H. H. and J. A. Fortin. Germination and comparative morphology of basidiospores of Pisolithus arhizus. 350–357
Kotiranta, H. see Thorn et al. 582
Kozakiewicz, Z. Aspergillus species on stored products; review 407
Kuyper, T. see Bas et al. 664
Lake sediment
Philalophora benthica 647–650
Landolt, J. C. and S. L. Stephenson. Cellular slime molds in forest soils of West Virginia. 114–119

Largent, D. L. [Review of] Notes on the classification of mushrooms. 667
———. see Wood et al. 276
Largent, D. L. and T. J. Baroni. How to identify mushrooms to genus. VI: Modern genera; review 410
Largent, D. L., D. E. Bradshaw and W. F. Wood. The candy-like odor of Nolanea fructufragans. 786–787
Larrondo, J. V. and A. Mª. Calvo. Two new species of Arthrinium from Spain. 396–398
Larsen, M. J. L. A. Cobb-Poulle. Phellinus (Hymenochaetaceae) a survey of the world taxa, review 801
Latgé, J.-P. see Samson et al. 148
Leuckert, C., V. Ahmadjian, C. F. Culberson and A. Johnson. Xanthones and depsidones of the lichen Lecanora dispersa in nature and of its mycobiont in culture. 370–378
Lichens
fungal communities on 444–451
Light
sclerotium formation in Stilbothamnium togoense 165–169
Lilly, W. W., S. M. Higgins and G. J. Wallweber. Electrophoretic detection of multiple proteases from Schizophyllum commune. 505–508
Lingle, W. L. see O'Kane et al. 595
———. see O'Kane et al. 607
Lipps, P. E. [Review of] Field crop diseases handbook, 2nd edition. 663
Liu, B. see Cao and Liu 642
Liu, Bo see Cao et al. 734
Logrieco, A., A. Bottalico, M. Solfrizzo and G. Mule. Incidence of Alternaria species in grains from mediterranean countries and their ability to produce mycotoxins. 501–505
Lombard, F. F. A cultural study of several species of Antrodia (Polyporaceae, Aphyllophorales). 185–191
Louis, I. A mycorrhizal survey of plant species colonizing coastal reclaimed land in Singapore. 772–778
Lowen, R. and P. Diederich. Pronectria xanthoriae and P. terrestris, two new lichenicolous fungi (Hypocreales). 788–791
Luminescence
Panellus stypticus 295–305
Luttrell E. S.
obituary 9–16
Mahoney, M. K. see Hesseltine et al. 523
Mangrove habitats
Halophytophthora 659–662
Martinez-Carrera, D. Micologia Neotropical Aplicada; review 151
Marvanová, L. and K. Suberkropp. Camptobasidium hydrophilum and its anamorph, Crucella subtilis: A new heterobasidiomycete from streams. 208–217
Mathiassen, G. Some corticolous and lignicolous Pyrenomycetes s. lat. (Ascomycetes) on Salix in Troms, N Norway; review 411
Mathre, D. E. see Baudoin et al. 408
Mating compatibility
Xeromphalina campanella 651–654
McAlpin, C. E. see Wicklow and McAlpin 165
McKeen, W. E. Blue mold of tobacco; review 535
McKnight, K. B. Effect of low humidity on spore production and basidiocarp longevity among selected isolates of Flammulina velutipes. 379–384
McKnight, K. B., K. H. McKnight and K. T. Harper. Cation exchange capacities and mineral element concentrations of macrofungal stipe tissue. 91–98
McKnight, K. H. see McKnight et al. 91
McRoberts, R. E. see Stevens et al. 436
Meganathan, R. see Coffell et al. 326
Meiosis
Coprinus patouillardii 170–173
Cryptomycocolax 671–691
Methuen, A. [Review of] Lichens, bryophytes and air quality. 534
Michener, C. D. see Johnston et al. 669
Millar, K. R. A new species of Phialophora from lake sediment. 647–650
Miller, O. K., Jr. [Review of] How to identify mushrooms to genus. VI: Modern genera. 410
Miller, O. K., Jr., E. Trueblood and D. T. Jenkins. Three new species of Amanita from southwestern Idaho and southeastern Oregon. 120–128
Mims, C. W. [Review of] Fungal infection of plants. 538
———. see Hanlin and Mims 9
Mims, C. W. and E. A. Richardson. Ultrastructure of secondary spore formation in the rust Gymnosporangium juniperi-virginianae. 236–242
Mineral accumulation
macrofungi 91–97
Minot, J. Notes on the classification of mushrooms; review 667
Molecular evolution
using herbarium specimens 175–183
Morgan-Jones, G. see White et al. 218
Morrow, A. C. see White et al. 218
Morton, J. B. Evolutionary relationships among arbuscular mycorrhizal fungi in the Endogonaceae. 192–207
Mosquito larvae
Amoebidium 132–134
Moustafa, A. F. and O. A. Abdul-Wahid. Chaetomiopsis, a new perithecial ascomycete genus from Egyptian soils. 129–131
Mule, G. see Logrieco et al. 501
Mycobiont cultures
Lecanora dispersa 370–378
Mycolaminaran
Zoophagus insidians 326–331
Mycoparasitism
Paecilomyces on Aspergillus 393–395
by Tremella aurantialba 270–273
Mycorrhizae
high arctic plants 23–35
Mycotoxins
Alternaria in grains 501–504
Nakasone, K. K. Taxonomic study of Veluticeps (Aphyllophorales). 622–641
Nash, T. H. III and V. Wirth, Eds. Lichens, bryophytes and air quality; review 534
Natori, S., K. Hashimoto and Y. Ueno, Eds. Mycotoxins and phycotoxins 1988; review 536
Nealson, K. H. see Bermudes et al. 295

Needle diseases
Cercospora-like fungi 313–325
Neely, D. [Review of] The nature of wilt diseases in plants. 668
Nelson, P. E. see Jeschke and Nelson 727
Nelson, P. E., L. W. Burgess and B. A. Summerell. Some morphological and physiological characters of Fusarium species in sections Liseola and Elegans and similar species. 99–106
Nelson, P. E., R. J. Cole, T. A. Toussoun, J. W. Dorner and R. M. Windingstad. Fusarium species recovered from waste peanuts associated with sandhill crane mortality. 562–565
Niemelä, T. see Thorn et al. 582
Noordeloos, M. E. see Bas et al. 664
Norred, W. P. see Plattner et al. 698
Nuclear condition
Fusarium solani and Aspergillus flavus 566–568
Nutrient uptake
macrofungi 91–97
Nutrition
Stemonitis flavogenita 385–386
Nyvall, R. F. Field crop diseases handbook, 2nd edition.; review 663
O'Kane, D. J., W. L. Lingle, D. Porter and J. E. Wampler. Localization of bioluminescent tissues during basidiocarp development in Panellus stypticus. 595–606
———. Spectral analysis of bioluminescence of Panellus stypticus. 607–616
Oberwinkler, F. and R. Bauer. Cryptomycocolax: a new mycoparasitic Heterobasidiomycete. 671–692
Oberwinkler, F., R. Bauer and R. J. Bandoni. Heterogastridiales: a new order of Basidiomycetes. 48–58
Oberwinkler, F., R. H. Petersen and R. J. Bandoni. Nanstelocephala, a new genus of stalked-capitate Basidiomycetes. 782–786
Obituary
Conners I. L. 155–159
Dodge C. W. 160–164
Luttrell E. S. 9–16
Odor
in Agaricus augustus 276–277
Osmotic potential
Fusarium spp. 99–106
Ovrebo, C. L. see Singer et al. 452
Oxalate
Cryphonectria parasitica 358–362
Oxygen translocation
fungi in Spartina 791–793
Pacioni, G. and R. Fogel. Brauniellula crassitunicata, a new secotioid species of Gomphidiaceae (Boletales, Basidiomycotina). 617–621
Padgett, D. E. see Hearth and Padgett 364
Padgett, D. E. and D. A. Celia. A newly discovered role for aerobic fungi in anaerobic salt marsh soils. 791–794
Palmer, M. A. see Stevens et al. 436
Pannarin
Lecanora dispersa 370–378
Pantonemic fungi 326–331
Parmelee, J. A. [Review of] Fungi on plants and plant products in the U.S. 405
Pegg, G. F. and P. G. Ayres, Eds. Fungal infection of plants; review 538
Pérez, Y. and N. C. Schenck. A unique code for each species of VA mycorrhizal fungi. 256–260
Petersen, R. H. The clavarioid fungi of New Zealand; review 409
———. [Review of] Micologia Neotropical Aplicada. 151
———. see Horak et al. 493
———. see Oberwinkler et al. 782
Peterson, R. see Plattner et al. 698
Peterson, S. W. see Hesseltine et al. 523
Petrini, O., U. Hake and M. M. Dreyfuss. An analysis of fungal communities isolated from fruticose lichens. 444–451
Pfister, D. H. [Review of] Icones of Medicinal fungi from China. 285
Phylogeny
vesicular-arbuscular mycorrhizae 192–207
Pioneering plants
mycorrhizae associated with 772–777
Plasmolysis
Phytophthora oospores 107–113
Plattner, R. D., W. P. Norred, C. W. Bacon, K. A. Voss, R. Peterson, D. D. Shackelford and D. Weisleder. A method of detection of fumonisins in corn samples associated with field cases of equine leukoencephalomalacia. 698–702
Polyphenol oxidase activity
ectomycorrhizal fungi 424–434
Population genetics
Morchella esculenta 227–234
Pore, R. S. and W. G. Sorenson. Reniforma strues, a new yeast from wastewater. 549–553
Porter, D. see O'Kane et al. 595
———. see O'Kane et al. 607
Portrait
Burdsall H. H. 2
Conners I. L. 156–157
Dodge C. W. 161
Fritz C. 157
Luttrell E. S. 10
Macrae R. 157
Nobles M. 157
Savile D. 157
Powell, M. J., T. Heyburn and S. Toadvine. Zoophagus insidians has reproductive and cellular morphology of a Zygomycete. 460–470
Presidental address
Burdsall H. H. 1–8
Proteases
Schizophyllum commune 505–508
Protoplasts
Colletotrichum gloeosporioides f. sp. aeschynomene 249–254
Qiming, M. see Jianzhe et al. 285
RNA sequences
zoosporic fungi 306–312
Rapior, S., A. Vassas, A. T. de la Fuente, R. Courtecuisse and C. Andary. Investigation of polyols, amino acids and phenolic acids in a taxonomic study of Cortinarius, subgenus Leprocybe, section Orellani. 243–248
Rasheed, A., T. Sheeba and D. J. Bhat. An undescribed

species of Dichotomophthoropsis on rice from India. 390–392
Reddy K. R., C. see Shearer et al. 496
Redhead, S. [Review of] Het Geslacht Pholiota (Bundelzwammen). 539
Relative humidity
spore production in Flammulina velutipes 379–384
Rhizomorphs
Xeromphalina campanella 651–654
Ribosomal RNA
herbarium specimens 175–183
Richardson, E. A. see Mims and Richardson 236
Rizzo, D. M., K. J. Smereka and T. C. Harrington. Notes on the rhizomorphs and mating system of Xeromphalina campanella. 651–655
Roberts, R. G. and J. P. Snow. Morphological and pathological studies of Colletotrichum capsici and C. indicum. 82–90
Rogers, J. D. [Review of] Prodromus to class Loculoascomycetes. 150
———. see Ju and Rogers 342
Romano, M. A. see Yoon et al. 227
Root colonization
mycorrhizae 779–782
Rossi, W. and M. Blackwell. Fungi associated with African earwigs and their relationship to South American forms. 138–140
Rossman, A. Y. see Farr et al. 405
Rossman, A. Y., R. J. Howard and B. Valent. Pyricularia grisea, the correct name for the rice blast disease fungus. 509–512
Rudolph, E. D. Carroll William Dodge, 1895–1988. 160–164
Rumen
Chytridiomycetes flora of 261–263
Salinity tolerance
Aphanomyces 364–368
Samson, R. A., H. C. Evans and J.-P. Latgé. Atlas of entomopathogenic fungi; review 148
Samuels, N. L. see Evans and Samuels 411
San Antonio, J. P. The possible relationship of spore-like structures of the mycelium of Glomus monosporum to formation of appressoria. 268–269
Sandhill cranes
Fusarium associated with death 562–565
Schenck, N. C. see Almeida and Schenck 703
———. see Pérez and Schenck 256
Sclerotia
Aspergillus flavus 393–395
formation in Stilbothamnium togoense 165–169
Septal pore
Cryptomycocolax 671–691
Serology
taxonomy of Armillaria and Lentinula 415–422
Sewage
Reniforma strues 549–552
Shackelford, D. D. see Plattner et al. 698
Shaw, C. G. [Review of] Blue mold of tobacco. 535
Shearer, C. A. see Asthana and Shearer 554
Shearer, C. A., J. L. Crane and C. Reddy K. R. Studies in Leptosphaeria. Lectotypification of Sphaeria doliolum. 496–500
Sheeba, T. see Rasheed et al. 390
Sieber, T. N., F. Sieber-Canavesi and C. E. Dorworth. Simultaneous stimulation of endophytic Cryptodiaporthe hystrix and inhibition of Acer macrophyllum callus in dual culture. 569–575
Sieber-Canavesi, F. see Sieber et al. 569
Sigler, L. and C. J. K. Wang. Scytalidium circinatum sp. nov., a hyphomycete from utility poles. 399–404
Singer, R. [Review of] Die Gattung Russula in Bayern. 799
Singer, R., C. L. Ovrebo and R. E. Halling. New species of Phylloporus and Tricholomopsis from Colombia, with notes on Phylloporus boletinoides. 452–459
Smereka, K. J. see Rizzo et al. 651
Smith, R. N. see Houghton et al. 149
Snetselaar, K. M. and L. H. Tiffany. Light and electron microscopy of sorus development in Sorosporium provinciale, a smut of big bluestem. 480–492
Snow, J. P. see Roberts and Snow 82
Sogin, M. L. see Förster et al. 306
Soil ecology
numbers of vesicular-arbuscular mycorrhizae 576–580
Soil fungi
Chaetomiopsis in Egypt 129–131
calcixeroll soil 715–725
Soil microbiology
numbers of vesicular-arbuscular mycorrhizae 576–580
Solfrizzo, M. see Logrieco et al. 501
Sorenson, W. G. see Pore and Sorenson 549
Southern Africa
Fusarium species in soil 727–732
Speciation
Heterobasidion annosum 73–81
Species code
vesicular-arbuscular mycorrhizae 256–260
Spore formation
Sorosporium provinciale 480–491
Spore germination
Echinodontium tinctorium 332–340
Phytophthora oospores 107–113
Pisolithus arhizus 350–356
Schizosaccharomyces pombe 43–46
Spore production
Flammulina velutipes 379–384
Spore wall
Schizosaccharomyces pombe 43–46
Stasovski, E. see Kohn and Stasovski 23
Stephenson, S. L. see Clark and Stephenson 274
———. see Landolt and Stephenson 114
Stephenson, S. L. and M. L. Farr. A new species of Trichia from Montana. 513–514
Stevens, C., M. A. Palmer, A. Y. Tang and R. E. McRoberts. Use of aminopeptidase substrate specificities to identify species of Cylindrocladium in Wisconsin nurseries. 436–443
Suberkropp, K. see Marvanová and Suberkropp 208
Succession
role of mycorrhizae 772–777
Summerbell, R. C. see Hutchison and Summerbell 36
Summerell, B. A. see Nelson et al. 99
Sutton, B. C. and C. S. Hodges. Revision of Cercospora-like fungi on Juniperus and related conifers. 313–325

Szijarto, E. see Barron and Szijarto 134
Tang, A. Y. see Stevens et al. 436
Taylor, J. W. see Bruns et al. 175
TeBeest, D. O. and G. J. Weidemann. Preparation and regeneration of protoplasts of Colletotrichum gloeosporioides f. sp. aeschynomene. 249–255
Temperature
  Fusarium spp. 99–106
  sclerotium formation in Stilbothamnium togoense 165–169
Termites
  fungi associated with 289–294
Tetrazolium bromide
  Phytophthora oospores 107–113
Thorn, G., H. Kotiranta and T. Niemelä. Polyporus pseudobetulinus comb. nov.: New records in Europe and North America. 582–594
Tiffany, L. H. see Snetselaar and Tiffany 480
Timmer, L. W. see Whiteside et al. 539
Tjallingii-Beukers, D. Het Geslacht Pholiota (Bundelzwammen); review 539
Toadvine, S. see Powell et al. 460
Toth, R., C. Doane, E. Bennett and T. Alexander. Correlation between host-fungal surface areas and percent colonization in VA mycorrhizae. 519–522
Toussoun, T. A. see Nelson et al. 562
Trinucleate cells
  Lycoperdaceae 17–21
Trueblood, E. see Miller et al. 120
Ueno, Y. see Natori et al. 536
Ullrich, R. C. see Chase and Ullrich 67
———. see Chase and Ullrich 73
Utility poles
  Scytalidium circinatum 399
Valent, B. see Rossman et al. 509
Vardavaksi, E. Seasonal fluctuations of soil microfungi in correlation with some soil enzyme activities and VA mycorrhizae associated with certain plants of a typical calcixeroll soil in Greece. 715–726
Vassas, A. see Rapior et al. 243
Vellinga, E. C. see Bas et al. 664
Vesicular-arbuscular mycorrhizae
  evolutionary relationships 192–207
  high arctic plants 23–35
  in coastal land 772–777
  most probable number for estimating 576–580
Viera, L. and M. G. Glenn. DNA content of vesicular-arbuscular mycorrhizal fungal spores. 263–267
Vishniac, H. S. and D. T. Johnson. Development of a yeast flora in the adult green June beetle (Cotinis nitida, Scarabaeidae). 471–479
Voss, K. A. see Plattner et al. 698
Wallweber, G. J. see Lilly et al. 505
Wampler, J. E. see O'Kane et al. 595
———. see O'Kane et al. 607
Wang, C. J. K. see Chamuris and Wang 528
———. see Sigler and Wang 399
Watanabe, T. Zygospore induction in Mortierella chlamydospora by the soaking-plain-water-agar-culture method. 278–282
Watson, R. L. see Wood et al. 276
Way, M. J. see Wood and Way 287
Weber, N. S. A morel hunter's companion. A guide to the true and false morels of Michigan; review 283
———. [Review of] Flora agaracina Neerlandica, Vol. 1. A. General part. B. Special part: Entolomataceae. 664
Weidemann, G. J. see TeBeest and Weidemann 249
Weisleder, D. see Plattner et al. 698
Wentworth, B. B. Diagnostic procedures for mycotic and parasitic infections; review 668
West Virginia
  cellular slime molds 114–118
White, J. F., Jr., A. C. Morrow and G. Morgan-Jones. Endophyte-host associations in forage grasses. XII. A fungal endophyte of Trichachne insularis belonging to Pseudocercosporella. 218–226
Whiteside, J. O., S. M. Garnsey and L. W. Timmer, Eds. Compendium of citrus diseases; review 539
Wicklow, D. T. and C. E. McAlpin. Cultural conditions promoting sclerotium formation in Stilbothamnium togoense. 165–169
Wicklow, D. T. and D. M. Wilson. Paecilomyces lilacinus, a colonist of Aspergillus flavus sclerotia buried in soil in Illinois and Georgia. 393–395
Williams, M. C. see Grigg and Williams 132
Wilson, A. D. The genetics of sexual incompatibility in the indian paint fungus, Echinodontium tinctorium. 332–341
Wilson, D. M. see Wicklow and Wilson 393
Wilson, G. W. T. see Hetrick and Wilson 779
Windingstad, R. M. see Nelson et al. 562
Wirth, V. see Nash and Wirth 534
Wood, R. K. S. and M. J. Way, Eds. Biological control of pests, pathogens, and weeds: developments and prospects; review 287
Wood, W. F. see Largent et al. 786
Wood, W. F., R. L. Watson and D. L. Largent. The odor of Agaricus augustus. 276–278
Wood decay
  fungi on decomposing logs of Pseudotsuga menziesii 759–765
Xerophilic fungi
  Amanita spp. 120–128
Xiaolan, M. see Jianzhe et al. 285
Yichen, Z. see Jianzhe et al. 285
Yoo, B. Y., B. F. Johnson and G. B. Calleja. Ultrastructure of the ascospore walls of Schizosaccharomyces pombe during germination. 43–47
Yoon, C.-S., R. V. Gessner and M. A. Romano. Population genetics and systematics of the Morchella esculenta complex. 227–235
Zang, M. see Bandoni and Zang 270
Zentmeyer, G. A. see Cook et al. 411
———. see Cook et al. 540
Zoberi, M. H. and J. K. Grace. Fungi associated with the subterranean termite Reticulitermes flavipes in Ontario. 289–294

FUNGOUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

Absidia aegyptiacum 525
blakesleeana 525
capillata 525
coerulea 289
corymbifera 524–526
cuneospora 525
dubia 525
fusca 292
hyalospora 525
idahoensis 523, 524–525, 524f
parricida 525
ramosa 524–525
repens 525
robusta 525
tunta 525
verticillata 525
zychae 525
Acanthodochium 342, 345, 348
Acanthophysellum 757
Acanthostigmella
thaxteri 742
Acaulopage 468
pectospora 330–331, 465, 468
Acaulospora 192, 194, 198–205, 256, 703, 794
appendicula 193, 196, 198–200, 202, 204, 257
bireticulata 257
capsicula 794, 795–796f, 796–797
delicata 193, 196, 199–200, 257
denticulata 193, 196, 199–200, 257
dilatata 193, 202, 257, 797
elegans 257
foveata 257
gedanensis 257
gedanskensis 797
gerdemannii 257
lacunosa 193, 196, 199–200, 257, 797
laevis 193, 196, 199–200, 203, 257, 797
longula 193, 196, 199–200, 257
mellea 193, 196, 199–200, 257
morrowae 193, 196, 199–200, 257, 797
myriocarpa 193, 196, 199–200, 202, 257
nicolsonii 257
polonica 257, 797
rehmii 193, 196, 199–200, 257
rugosa 193, 196, 199–200, 257, 797
scrobiculata 257
spinosa 193, 196, 199–200, 257
splendida 257
sporocarpia 257, 797
thomii 257, 797
trappei 257
tuberculata 257
undulata 257
Acaulosporaceae 704
Acetabula
purpurea 740
Achaetomium 130
Achlya 328
bisexualis 307–310
Ackermannia 703–704, 708
coccogena 703–704, 708
dussii 703–704, 709
Acremonium 223
sect. Albo-lanosa 218
sp. 292
spp. 291, 446–447, 566
starrii 223
Actiniceps 782
Actinomucor
elegans 292
Acytostelium
leptosomum 116–118
Aecidium
rickii 142
spissum 142
xanthoxyli 142
xanthoxylinum 142
zanthoxyli-shinifolii 142
Agaricostilbum 216, 671, 689
pulcherrinum 690
spp. 56
Agaricus
augustus 276–277
campestris 379
juniperinus 187
Aleuria
onotica 739
Aleurodiscus 753, 757
canadensis 758
lividocoerulens 757
occidentalis 753, 754–755f, 757
thujae 753, **754**, 755–756f, 757
tsugae 756–757f, 756–758
weirii 61, 757
Allomyces 261–262
javanicus 555
Alpova 433
diplophloeus 37–38, 177, 179–180, 426, 432
olivaceotinctus 179
Alternaria 501
alternata 446–447, 501–504, 718, 721–722, 724–725
sp. 292
spp. 291, 502
tenuissima 446
triticina 501–504
Amanita 247, 433
altifissura 123
armillariiformis 120, 121, 122f, 123, 125f, 126
aurantisquamosa 120, 122f, **123**, 124, 125f, 126
brunnescens 38, 426

chlorinosma 123
cinereoconia 123
citrina 38, 426
farinosa 123
flavoconia 37–38, 426
hesleri 127
magniverrucata 123
malheurensis 120, 122f, 125f, **126**, 127
muscaria 38, 92–93, 95, 426
pallidoflavescens 123
pantherina 92–93, 95
polypyramis 123
praegraveolens 127
prairiicola 127
ravenelii 123
rubescens 38, 426
salmonea 127
silvifuga 127
spp. 94, 425, 432, 120127
subg. Amanita, sect. Amanita 124
subg. Lepidella, sect. Lepidella 123
subg. Lepidella, sect. Lepidella, subsect. Solitariae 123
subg. Lepidella, sect. Lepidella, subsect. Vittadiniae 123, 127
thiersii 127
Amoebidium
parasiticum 132–134
Amphinema
byssoides 526–527
Amphisphaeriaceae 348
Amphoromorpha
spp. 140
Amyloporiella
alpina 189
oleracea 190
sordida 189
Anaphysmene 313, 324
cupressi 314, **322**, 323–324, 323f
heraclei 324
Anguillospora
filiformis 215
Antennopsis
gallica 139, 289
spp. 139
Anthostomella 342
aregnae 342
mirabilis 343
mirabilis f. discophora 345
mirabilis f. schizostachyi 345
mirabilis var. bambusae 342
mirabilis var. obtecta 345
mirabilis var. schizostachyi 343
Antrodia 185
albida 189
albobrunnea 189
alpina 189
gossypia 185–187
juniperina 186–187
odora 186–188
oleracea 189
radiculosa 190
sitchensis 186–188
sordida 186–189
vaillantii 190
xantha 61
Aphanocladium
sp. 446
Aphanomyces 328
sp. 364–368, 367f
Aphyllophorales 64, 622, 639
Apostrasseria
sp. 63–64
Armillaria
borealis 416
bulbosa 416
cepistipes 416
fusipes 302
mellea 73, 80, 170, 173, 296, 416–420, 422
ostoyae 416–421
sp. 59, 61–62
spp. 416–418, 420–422, 653–654
tabescens 416–421
zelleri 433
Armillariella
fuscipes 604
mellea 296, 302, 595, 604, 612–613
spp. 595, 605
Arthrinium 396
marii 397, 397–398f, 398
phaeospermum 446
puccinioides 397
serenense 396, 396–397f, 397
spegazzinii 398
Arthrobotrys
oligospora 291–292
Articulospora
tetracladia 215
Ascochyta
sp. 446
Ascomycetes 129, 310–311, 328, 788
Ascomycotina 555, 703
Ascosphaera
sp. 525
Ascotricha
spp. 530
Aspergillus 144, 328
alliaceus 718, 721–722, 724
candidus 718, 721–722, 724
clavatus 718, 721–722, 724
coremiiformis 165
flavus 146, 165, 167, 289, 393, 395, 566, 567f, 568, 718, 721–722, 724
flavus var. flavus 393–394
flavus var. parasiticus 393–394
niger 266, 291–292, 560, 718, 721–722, 724–725
nomius 525
oryzae 146
sp. 292
spp. 146, 291, 502, 566, 568
tamarii 718, 721–722, 724
terreus 292
zonatus 292
Asperisporium 317–319
caricae 317
juniperinum 314, **317**, 318f, 319
sequoiae 314, 314–318, 315, 315f, 318–319
Asterina

cupressina 61–62, 64
Asteronycha
platensis 140
Astrocystis 342
amazonensis 348
capparidis 348
mirabilis 342–343
mirabilis f. discophora 342
mirabilis f. schizostachyi 342
mirabilis var. schizostachyi 342
mycophila 348
sublimbata 348
Atkinsonella 13, 218
Atractiella
solani 690
spp. 56, 689
Atractiellales 56, 216, 671
Atractogloea 216, 671
spp. 56
stillata 689–690
Auerswaldia
arenga 342
Aureobasidium
pullulans 61, 475–477, 762–763
Auricularia
auricula 80, 92–95
auricularis 62, 64
spp. 56, 689
Auriculariales 216
Bacidia 766
Bacidiaceae 766
Bahusakala
sp. 446–447
Bankera 433
fuligineo-alba 38, 426, 432
spp. 425
Basidiobolus 140
ranarum 555
Basidiomycetes 328
Basidiomycotina 555
Basifimbria 528
aurea 528
peruviana 528
subalutacea 532
succinea 528, 531f
Bertia
moriformis 62, 65
Biatora 766–767, 770
mixta 770
mixta var. atlantica 770
mixta var. pacifica 770
vernalis 766
Biatoraceae 766
Biatorella 766
Biatorina
ehrhartiana 770
graniformis 766
Bilimbiospora 496
Blastocladia 261
pringsheimii 262
ramosa 262
Blastocladiella 170, 261
emersonii 307–310
Boletaceae 37, 181
Boletales 37
Boletellus 181, 433
ananus 177, 179, 181–182
russellii 37–38, 426
spp. 425
Boletinus 433
cavipes 38, 426
paluster 38, 426
Boletus 181, 247, 433
badius 432
edulis 37–38, 178–179, 181, 426, 433, 583
ornatipes 37–38, 426
piperatus 433
rubinellus 237–238
spp. 425
Botryobasidium
obtusisporum 61
Botrytis
alli 555
cinerea 63, 446–447
Bovista
nigrescens 17–18, 20
plumbea 17–18, 19f, 20–21
Brauniellula 617
albipes 177, 179, 617–618, 619f, 620
crassitunicata 618, 619f, 620
leucosarx 617
nancyae 617–618
Buglossoporus 591
Calvatia
saccata 20
spp. 20
utriformis 17–18, 20–21
Camptobasidium 209
hydrophilum 209, 210–211f, 213–214f, 215–217, 215f
Candida
guilliermondii 475–477
haemulonii 476
krusei 475, 477
rugosa 475, 477
sake 475–477
tropicalis 475, 477
Carcinomyces
effibulatus 690
Caripia 782
Catillaria 766
graniformis 767
griffithii 768
Cenococcum
geophilum 36–37, 40, 426, 432, 526–527
Cephalosporium
succineum 528
Ceratocystis
sp. 62, 64–65
ulmi 560
Ceratosphaeria
grisea 510
Cercoseptoria 313, 319
Cercospora 313, 319, 322
cryptomeriae 314
elaeidis 316
exosporioides 313, 320, 322
juniperina 317
sequoiae 313–314, 316–319, 318–319

sequoiae var. juniperi 313, 319, 322
thujina 314
Cercosporella 221
herpotrichoides 223
Chaetocarpus 623
abietinus 624
glaucescens 625
Chaetoderma 622, 639–640
Chaetodermataceae 639–640
Chaetodermella 639
Chaetomiaceae 131
Chaetomiopsis 129
dinae 129, 129–130f, 130–131
Chaetomium 130–131
dolichotrichum 555–556
globosum 718, 721–722, 724
madrasense 131
megalocarpum 131
nozdrenkoae 131
variosporum 130
Chaetosphaerulina
yasudae 742, 747
Chalara
constricta 446
fusidioides 446
sp. 446, 762
thielavioides 762
Chalciporus 433
piperatus 37–39, 432–433
spp. 425
Chamonixia
ambigua 179
caespitosa 179–180
Chantransiopsis 138
bonaerensis 138
decumbens 140
platensis 140
spp. 139
stipatus 140
xantholini 140
Chaunopycnis
sp. 446, 448
Chionosphaera
apobasidialis 690–691
spp. 56
Chloridium
chlamydosporis 762–763
Chloroscypha
seaveri 61–62
Christiansenis
pallida 690
Chromista 310
Chroogomphus 617
loculatus 620
Chrysosporium
pannorum 762–763
pseudomerdarium 446
Chytridiomycetes 204, 261–262, 306, 310–311
Cintractia
axicola 491
Circinella
minor 292
muscae 292
Cladonia
arbuscula 445, 447–449
arbuscula ssp. mitis 445, 447–449
arbuscula ssp. squarrosa 445, 447–449
furcata 445, 447–449
gracilis 445, 447–449
rangiferina 445, 447–449
squamosa 445, 447–449
Cladosporium
cladosporioides 292, 446–448, 718, 721–722, 724
elatum 446
herbarum 446–447
sp. 583
spp. 291, 446–448, 502
Clavatospora
bulbosa 793
Claviceps
purpurea 395
Cliostomum 766–767
corrugatum 766–767, 768f, 769–771
graniforme 770
griffithii 767–771, 768f
luteolum 766–767, 768f, **769**, 770–771
vitellinum 766–767, 768f, **769**, 770–771
Clitocybe
albirhiza 92–93, 95
ectypa 416
illudens 302
spp. 34
tabescens 170, 416
Coelomomyces
psorophorae 170
Coleosporium 237
Colletotrichum
capsici 82–90, 85f, 87f, 89f
gloeosporioides f. sp. aeschynomene 254f, 249–254
gloeosporioides f. sp. jussiaeae 254
gloeosporioides f. sp. malvae 254
graminicola 252
indicum 86–87f, 89f
malvarum 254
sp. 446–448
spp. 249–254
trifolii 254
Collodiscula
japonica 348
Collybia
dryophila 690
fusipes 296
tuberosa 296
velutipes 295, 303
Coltricia 433
perennis 38, 426
spp. 425
Columnocystis 622–624, 639–640
abietina 622, 624, 636, 638–639
africana 622, 628
ambigua 622, 630
carpatica 622, 630
pimeriensis 622, 638, 638f
Complexipes 703
Coprinus
bisporus 74, 80
cinereus 171–172, 237–238
disseminatus 20

lagopus 171
macrorhizus 172
niveus 379
patouillardii 170–173, 177f
spp. 173
stercorarius 326–329, 555
Coremium 704
Coriolellus
sepium 189
Coriolus
versicolor 654
Corticiaceae 622, 639–640
Cortinarius 243, 433
ahsii 92–95
allutus 38, 426
amoenolens 38, 426
anomalus 38, 426, 432
brunneofulvus 244–247
brunneus 38, 426
fluorescens 244–245, 247
glaucopus 38, 92–93, 95, 427
henrici 244–247
mucosus 427
orellanoides 244–247
orellanus 244–247
rainierensis 244–247
sect. Orellani 243–244, 246–247
sp. 379
speciosissimus 244–247
spp. 34, 37, 94, 425, 432
subg. Leprocybe, sect. Orellani 245–246
subpurpurascens 38, 427
violaceus 177–182
Corynascella 130
Coryneum
berckmanii 61
Crepidotaceae 783
Crepidotus 785
cesati 783
sphaerosporus 783
spp. 783
subsphaerosporus 783
Cronartium 237
asclepiadeum 237
quercuum f. sp. fusiforme 242
Crucella 212
subtilis 212, 213–214f, 215, 215f
Crustoderma 639–640
Cryphonectria
parasitica 358–362, 515–518
Cryptocline
sp. 446, 448
Cryptococcus
albidus var. albidus 475–476
laurentii 475, 477–478
Cryptodiaporthe
hystrix 569–574, 573f
Cryptomycocolacaceae 672, 691
Cryptomycocolacales 672, 691
Cryptomycocolax 672
abnorme 672, 673–675f, 676, 677–679f, 681–683f, 685–688f, 689–691
Cryptosporiopsis
fasciculata 446
sp. 63, 446
spp. 448
Cunninghamella
echinulata 291–292
Cyanodiscus
occidentalis 61
Cyathus
olla 62
Cylindrobasidiales 639–640
Cylindrocarpon
didymum 63
ianthothele 555, 556, 558
Cylindrocladium 436
clavatum 437–441
crotalariae 437–441
floridanum 436–441
scoparium 436–441
spp. 441
Cylindrosporium 221, 223
Cyrenella
elegans 56
Cystopage 468
cladospora 468
Cytospora 541
abietis 61
Dacrymyces
deliquescens 64
deliquescens subsp. deliquescens 62
Dacryobolus
karstenii 61
Dacryonaema
rufum 782
Dactylaria
oryzae 510
Daedalea
albida 189
juniperina 187
Debaryomyces
hansenii 475–478
marama 475
nepalensis 475
pseudopolymorphus 475
subglobosus 475
yamadae 475–476
Delentaria 783
Dermea
sp. 62, 65
Dermocybe 243
spp. 34, 432
Deuteromycetes 328
Deuteromycotina 465, 468, 555
Dichomitus 591–592
squalens 592
Dichotomophthoropsis
safeeulaensis 390, 391–392, 391f
Dictyopanus
pusillus 605
sp. 597
Dictyosporium
elegans 63
Dictyostelium
aureo-stipes 116–118
discoideum 116–118, 308–310, 506
giganteum 116–118

lacteum 116–118
minutum 116–118
mucoroides 116–118
polycephalum 116–118
purpureum 116–118
sp. 291–292
sphaerocephalum 116–118
Dictyuchus 328
Dicyma 528, 530
aurea 528
olivacea 528
Didymium
iridis 274–276, 385, 645
Digitatispora
marina 56, 216
Diheterospora
Dimerosporium
pulchrum 657
Diplodina
acerina 569
sp. 446, 448
Diplomitoporus
lenis 61
Ditangium
sp. 63
Dothidea
sp. 62
Dothistroma 313
septospora 313
Duportella
fusispora 636, 637f
Duportellaceae 639
Echinodontium
ballouii 332
tinctorium 332–340, 336f, 338f
Ellula
guaduae 55
Endogonaceae 33, 192–193, 703
Endogonales 192, 703
Endogone 192, 194, 203–204, 703–704
alba 706, 709
lactiflua 203
minutissima 703, 709
pisiformis 203–204
tjibodensis 705
Engelhardtiella
alba 61
Entoloma 787
icterinum 786–787
pleopodium 787
Entrophospora 192, 194, 198–205, 256, 703
colombiana 193, 196, 199–200, 202, 257
infrequens 193, 196, 199–200, 202, 257, 779
schenckii 193, 196, 199–200, 257
Eocronartium
muscicola 690
Epichloe 13, 218
typhina 219
Epicoccum
purpurascens 446–448
Eriosphaeria
vermicularis 61
Erysiphe
cichoracearum 266
Evernia
divaricata 769
Exophiala 647, 650
jeanselmei var. lecanii-corvi 446–448
mansonii 446–447
pisciphila 649f, 650
spp. 446–447
Exosporium 313, 316, 319, 322
deflectens 317
Favolus 591
alveolaris 592
brasiliensis 591
Fenestella 541
macrospora 541
princeps 541–548, 542–546f
Fibroporia
radiculosa 190
Fibulocoela
indica 55
Filobasidiaceae 691
Filobasidium
depauperata 691
floriforme 691
Flammulina
velutipes 295, 379–384
Fomes
annosus 67, 74
tinctorius 332
Fomitopsis
pinicola 61–62, 64, 80
Fusarium 253
acuminatum 563–564
anthophilum 100–105
avenaceum 105, 563–564
beomiforme 99–106
chlamydosporum 729–731
compactum 563–564, 729–731
culmorum 105, 729–731
dlamini 99, 729–731
equiseti 563–564, 729–732
graminearum 105, 729–731
heterosporum 446
lateritium 446–447, 729–731
merismoides 729–731
moniliforme 100–102, 104, 106, 563–564, 698–702, 729–731
napiforme 99–106, 729–731
nygamai 99–106, 729–732
oxysporum 99–102, 104–106, 292, 563–564, 729–731
oxysporum f. sp. lycopersici 690
poae 729–731
polyphialidicum 730–731
proliferatum 100–102, 104–105, 563–564, 729–731
roseum 105
sambucinum 729–731
scirpi 729–731
sect. Arthrosporiella 729
sect. Discolor 729
sect. Elegans 99–100, 729
sect. Eupionnotes 729
sect. Gibbosum 729
sect. Lateritium 729
sect. Liseola 99–100, 729

sect. Martiella 729
sect. Sporotrichiella 729
semitectum 729–731
solani 292, 446–447, 564, 566, 567f, 568, 718, 721–722, 725, 729–732
solani f. sp. cucurbitae 568
sp. 446
spp. 99, 145, 291, 448, 501–502, 563–564, 566, 568, 727–728, 732
subglutinans 100–101, 103–105
sublunatum var. sublunatum 446
Galerina
sp. 62
Gastroboletus
citrinibrunneus 177, 179, 181–182
laricinus 179
turbinatus 179
xerocomoides 179
Geaster 342
Gelatinodiscus
flavidus 61–62
Geomyces
pannorum 446
Geopyxis
majalis 530
Geotrichum
sp. 446
Gibbera
sp. 61
Gibberella
zeae 555
Gigaspora 192, 194, 198–205, 256, 703
albida 193, 196, 199–200, 257
candida 257
decipiens 193, 196, 199–200, 257, 263–264
gigantea 193, 196, 199–200, 257, 264, 578–579
margarita 193, 196, 199–200, 257, 264, 578–579
ramisporophora 257
rosea 194, 196, 199–200, 257, 775
Gigasporaceae 704
Glaziella 703
Gliocladium 218
sp. 63, 394
virens 718, 721–722, 724–725
Gliomastix
sp. 292
Gloeophyllum 640
sepiarium 61–62, 64
trabeum 289
Gloeosoma 757
Glomaceae 203, 703, 707
Glomales 703
Glomus 192, 194, 198–205, 256, 703–704, 708, 715
aggregatum 193, 196, 199–200, 205, 257, 578–579, 780
albidum 257
ambisporum 193, 196, 198–200, 257, 578–579, 704, 706–708, 707, 711
arborense 193, 196, 199–201, 257
australe 257
boreale 257
botryoides 257
caledonium 257, 264, 578–579
callosum 257
canadense 257, 578–579
cerebriforme 193, 196, 199–200, 257
citricola 257
claroideum 193, 196, 199–200, 256, 258, 579
clarum 193, 196, 199–200, 256, 258
clavisporum 707f, **710**, 712
constrictum 258, 797
convolutum 258
decipiens 203
delhiense 258
deserticola 193, 196, 199–200, 258
diaphanum 193, 196, 199–200, 258
dimorphicum 193, 196, 198–200, 258
dominikii 258
etunicatum 193, 196, 199–200, 258, 779–781
fasciculatum 193, 196, 199–200, 205, 258, 519, 724
fecundisporum 193, 196, 199–200, 258, 577, 579
flavisporum 258
formosanum 258
fragile 258
fuegianum 258
fulvum 258
geosporum 258
gerdemannii 258
globiferum 258
glomerulatum 193, 196, 199–200, 258
halonatum 258
heterosporum 193, 196, 198–200, 256, 258, 704, 706–708, 711
hoi 258
intraradices 193, 196, 199–200, 205, 258, 578–579
intraradix 704
invermaium 258
lacteum 258
leptotichum 193, 196, 199–200, 258, 579
liquidambaris 711, 712
macrocarpum 193, 196, 199–200, 258, 577–580, 724, 775, 797
maculosum 193, 196, 199–200, 258, 578–579
magnicaule 258
manihotis 193, 196, 199–200, 258, 579
melanosporum 258
microaggregatum 258
microcarpum 258, 578–580, 797
monosporum 258, 268–269, 579
mosseae 193, 196, 199–200, 258, 579, 780
multicaule 258
multisubstensum 258
occultum 193, 196, 199–200, 258
pallidum 193, 196, 199–200, 258
pansihalos 258
pubescens 258
pulvinatum 258
pustulatum 258
radiatum 258
reticulatum 258
rubiforme 707f, **709**, 712
scintillans 258
segmentatum 258
sinuosum 707f, **710**, 712
taiwanense 711, 712
tenebrosum 258
tenerum 193, 196, 199–200, 258
tenuis 258, 576

tortuosum 193, 196, 199–201, 258, 780
tubaeforme 258
versiforme 193, 196, 199–200, 258, 264–266
vesiculiferum 258, 705
warcupii 193, 196, 199–200, 258
Gnomonia
leptostyla 387–390, 388f
Gnomoniella
sp. 62
Gomphaceae 783
Gomphidiaceae 617
Gomphidius 617, 620
Gomphogaster
leucosarx 617
Gomphus 783
clavatus 785
Gremmeniella
abietina 415, 569
Gymnopilus
sp. 379
Gymnosporangium 237
clavipes 238
fuscum 237
juniperi-virginianae 239–241f, 236–242
nootkatense 59, 61–62, 64
sabrine 237
Gyromitra
gigas 92–95
Hainesia
lythri 41
Halocyphina
villosa 216
Halophytophthora 659
epistomium 659, 660–661f, 662
vesicula 659
Hanseniaspora 44–45
uvarum 475–477
Hansenula 44
californica 475–477
Harpellales 467
Harposporium 137
Hebeloma 433
crustuliniforme 38, 427, 432, 526–527
cylindrosporum 37–38, 427
longicaudum 38, 425, 427
mesophaeum 38, 427
sacchariolens 787
spp. 37, 432
velutipes 37–38, 425, 427
Helicobasidium
mompa 56, 690
Helicoma 742
bambusae 745
berkeleyi 745
binale 745
larvale 747
Helicosporium
berkeleyi 745
diplosporum 745
Helminthosporium 313, 316
spp. 9, 11
Helmisporium 316
Helvella
crispa
fusca 643
maculata
papuensis
purpurea 740
zhongtiaoensis 642, 642f, 643
Hendersonula
toruloidea
Herpobasidium
filicinum 690
Herpotrichia
juniperi 61
sp. 62
Herteliana 766
taylorii 766
Heterobasidiomycetes 782
Heterobasidion
annosum 7, 62, 67–72, 74–81, 654
Heteroconium
chaetospira 446
sp. 446, 448
Heterogastridiaceae 57
Heterogastridiales 57
Heterogastridium 55
pycnidioideum 48–57, **55**, 689–690
Heterosporium 313, 316, 319
Hirschioporus
abietinus 80
Homobasidiomycetes 782
Hormiscioideus
spp. 139
Hormonema
dematioides 446–447
Humicola
fuscoatra 762
grisea 762
spp. 761, 763
Hyalodendron
sp. 446, 448
Hyalopycnis
blepharistoma 48–56
hyalina 55
pycnidioideum 50–52f, 54f
vitrea 55
Hyaloria
pilacre 782
Hydnangium 41, 433
carneum 37–38, 427, 433
spp. 425
Hydnocristella 783
Hygrophorus 433
bakerensis 178–179, 181
eburneus 38, 425, 427
pudorinus 92–93, 95
russula 38, 427
spp. 37
Hymenochaete
abietina 624
abnormis 625, 627
fimbriata 625f, 634–636
rugispora 625f, 634–636
veluticeps 632–633
Hymenogaster
sublilacinus 179
Hyphochytridiomycetes 306, 328

Hyphochytrium 328
Hyphoderma
praetermissum 691
Hyphodontia
aspera 62
pallidula 61
subalutacea 61
Hypocreaceae 788
Hypocreales 788
Hypoxylon
geasteroides 345
Inonotus
tomentosus 92–95
Issatchenkia
orientalis 475
Itersonilia
perplexens 555
Jaapia
argillacea 61
Jacobia
conspicua 217
Kabatina
thujae 61, 64
Kavinia 783
alboviridis 785
Kickxellales 467
Kirschsteiniella
thujina 61
Kluyveromyces
spp. 552
Krieglsteinera 216
lasiophaeriae 217
Krieglsteineraceae 216
Laccaria 41, 432–433
bicolor 38, 350, 427, 432
laccata 38, 427, 526–527
ochropurpurea 38, 427, 432
proxima 38, 427
spp. 34, 37, 425, 432–433
Lactarius 37, 433
affinis 38, 427
chelidonius 38, 428
deliciosus 38, 62, 64, 92–93, 95, 428, 432
hibbardae 38, 428
indigo 37–38, 428
mucidus 38, 428, 432
pubescens 38, 428
rufus 39, 428
spp. 432–433
subdulcis 434
subpurpureus 39, 428, 432
tabidus 434
thejogalus 39, 428
thyinos 39, 428
torminosus 39, 428
vinaceorufescens 39, 428, 432
Lagenidiales 309, 326
Lagenidium 326, 328–329
giganteum 307–310
spp. 465
Lampteromyces 614
japonicus 604, 613
Langermannia
gigantea 17–18
Lasiosphaeria 554
ovina 217
Lecanora
albescens 372
beringii 372
chlarotera 378
dispersa 370–378, 377f
hagenii 372
populicola 372
salina 372
vinetorum 373
Lecanosticta 313
acicola 314
cinerea 314
gloeospora 314
Leccinum 433
arenicola 39, 428
aurantiacum 39, 428
holopus 39, 428
spp. 37, 425, 432
Lecidea 766
corrugata 767
erythrophaea 770
Lemonniera
aquatica 215
Lentaria 783
Lentinula
edodes 416–421
Leptodontidium
elatius 762–763
Leptographium
sp. 63
Leptomitus 328
Leptosphaeria 496
doliolum 496, 496–498f, 500
salvinii 510
Leucogaster 655
columellatus 655–656
Leucosporidium 217
Lichen
ehrhartianum 767, 770
graniformis 767
griffithii 768
Lichtheimia
sartoryi 525
Lloydella
striata 624
Loculoascomycetes 541
Lopharia 622
Lunulospora 136–137
curvula 215
Lycoperdon 18
depressum 19
gigantea 20
perlatum 17–20
pyriforme 17–20, 92–95
sp. 62
spadiceum 17–19
spp. 20
umbrinum 17–18
Magnaporthe 510
grisea 510
salvinii 510
Malbranchea

spp. 399
Marasmius
androsaceus 653
oreades 654
Massarina 561
aquatica 560
Mastigomycotina 555
Medusamyces 136
lunulosporus 135–136f, **136**, 137
Melampsora 237
Melanommatales 541
Melanotus 495
bambusinus 495
caricicola 495
defraudatus 493, 494f, 495
hartii 495
phillipsii 495
textilis 495
Merulius
himantioides 80
Metschnikowia 472
Modicella 703
Monascus 146
spp. 144
Morchella 227, 231, 234
conica 227
crassipes 227, 234
deliciosa 227, 234
esculenta 92–95, 227–234
Mortierella
chlamydospora 278–281, 279f, 280f
echinosphaera 280f, 281–282
indohii 281
ramanniana 762–763
sp. 292
spp. 278
vinacea 446
Mortierellaceae 703
Mucor
circinelloides 292
hiemalis 291–292, 718, 721–722, 724
mucedo 291–292
plumbeus 292
pusillus 292
racemosus 292, 718, 721–722, 724
spp. 502
Mycaureola
dilseae 55, 216
Mycelium
radicis atrovirens 63
Mycena
avenacea 604
chlorophos 604, 613
citricolor 296, 301–302, 604, 612–613
citrinella var. illumina 604
dilata 604
epipterygia 604
galericulata 604
galopus 302, 604
illuminans 604
lux-coelii 604
manipularis 604, 613
microillumina 604
noctilucens 604
parabolica 604
photogena 604–605
polygramma 296, 302, 604, 612–613
pruinosa-viscida 604–605
pseudostylobates 604
rorida var. lamprospora 604–605
sanguinolenta 604
spp. 170, 595, 605
stylobes 604
sublucens 604
tintinnabulus 604
yapensis 604
zephira 296, 604
Mycocladus
hyalinus 525
Mycosphaerella 313, 324
juglandis 387
sp. 389
Mylittopsis
spp. 56
Myriogenospora 13
Myxacium
spp. 432
Myxomycetes 170, 328, 643, 645
Myzocytium
zoophthorum 465
Naematelia 271
Naematoloma
dispersum 63
Naiadella
fluitans 53, 217
Nanstelocephala 783
physalacrioides 783, 784–785f, 785
Nectria
discophora 555
fuckelii 790
haematococca 560, 568
sp. 62
Nectriella 788
anisospora 791
coccinea 789
robergei 788
tincta 789
Neocallimastix 261–262
frontalis 262
patriciarum 261–262
sp. 262
Neocudoniella
radicella 37, 40–41
Neottiella
rutilans 172
Neurospora
crassa 172, 253, 266, 307–310
Nia
vibrissa 56, 216
Nidularia
sp. 61
Nodulosphaeria 496
Nolanea
fructufragrans 786–787
Oidiodendron
echinulatum 446, 762–763
flavum 446
scytaloides 403

Oligoporus
balsameus 289
sericeomollis 61
Omphalia
flavida 296, 612
Omphalotus
illudens 603–604
olearius 296, 302, 603
spp. 595
Oomycetes 306, 310–311, 326, 328–329, 460, 467–468, 556
Ophioceras
spp. 554–561
Otidea 734
abietina 734, 739
alutacea 735, 737–738
alutacea var. microspora 735, 738
apophysata 736
bufonia 735, 738
cochleata 734–735, 738
grandis 737
indivisa 739–740
kauffmanii 735, 737
lactea 734–735, 735, 736f
leporina 734–735, 738
leporina var. minor 735, 737, 739
microspora 738
nannfeldtii 737
olivacea 735, 736f
onotica 734–735, 739
propinquata 734–735, 739–740
purpurea 734, 740
rainierensis 735, 737
sinensis 735–736, 736, 736f
smithii 735, 740
tianshuiensis 735, 736f, 737, 737, 739
tuomikoskii 735, 737, 740
umbrina 738
Pachnocybe 671
ferruginea 216, 690–691
spp. 56
Pachysolen
tannophilus 555–556
Paecilomyces
farinosus 446–447
lilacinus 393–395
spp. 448
varioti 394, 446, 718, 721–722
Panellus
pusillus 604–605
spp. 595
stipticus 296, 298f, 299–303, 595–605, 598f, 601–602f, 607–615
Panus
stipticus 296
tigrinus 303
Paraphaeosphaeria
michotii 446, 448
Passalora 316
Paxillaceae 783
Paxillus 433, 452, 456, 783
boletinoides 178–179, 181
defibulatus 454, 456
involutus 37, 39, 428
sect. Paxillus 456
spp. 425
statuum 179, 454, 456
Pellidiscus
pallidus 785
Penicillium 145, 328, 764
brevi-compactum 292
canescens 718, 721–722, 724–725
charlesii 762
chrysogenum 718, 721–722, 724–725
citrinum 718, 721–722, 724–725, 762
corylophilum 762
fellutanum 762
frequentans 718, 721–722, 724–725, 762
fuscum 718, 721–722, 724
implicatum 762
janthinellum 761–762
lanosum 762
lilacinum 394
lividum 761–762
notatum 555
purpurogenum 762
raperi 762
restrictum 762
rubrum 762
sclerotiorum 718, 721–722, 724
simplicissimum 718, 721–722, 724, 762
sp. 292
spinulosum 762
spp. 146, 291, 502, 566, 761–763
steckii 762
stoloniferum 762
verrucosum 718, 721–722, 725
Penicillium 704
sp. 446–447
Peniophoraceae 639
Peronospora
parasitica 173
Peronosporales 309, 326, 328–329, 460, 463, 467–468
Persiciospora 129, 131
Pertusaria 372
Pestalotia
thujae 61
Pestalotiopsis
funerea 61
Pezicula
sp. 62
Peziza 424
abietina 734, 739–740
alutaceae 737
badia 738
bufonia 738
cochleata 738
leporina 738
propinquata 739–740
quelepidotia 529–530f
Phaeogyroporus
portentosus 179
Phaeoramularia
spp. 446
Phaeostalagmus 647
cyclosporus 650
Phanerochaete
chrysosporium 7

cremea 690
gigantea 7
sanguinea 61
Phellinus
pini 61
weirii 61
Phialophora 218, 650
benthica 647, 648–649f, 650
fastigiata 446–447
melinii 63
sp. 762–763
spp. 647
Phlegmacium
spp. 432
Phleogena
faginea 690
spp. 56, 689
Phloeospora 324
Phoma 541
sp. 63
spp. 446
Phomopsis
juniperovora 61
sp. 446–448
Phragmidium 237
Phragmoporthe 510
conformis 510
grisea 510
ploettneriana 510
Phragmoxenidium
mycophilum 691
Phycomyces 328
Phylloporus 452, 454, 456
boletinoides 452, 455–456
fibulatus 452, 453f, 455–456, 457f
manausensis 456
rhodoxanthus 456
sect. Manausensis 452, 454–455
sect. Phylloporus 454, 456
sect. Fibulati 455
spp. 456
Physalacria 782–783
Physarales 386
Physarum 328, 386
flavicomum 385
polycephalum 309–310, 385
rigidum 385
spp. 386
Phytophthora 326, 659
botryosa 693
cactorum 107–108, 110, 111f, 112, 693
capsici 107, 693
citricola 108–110
epistomium 659
infestans 693, 695
lateralis 61, 64
megasperma 326–329
megasperma f. sp. glycinea 107, 112, 307–310
megasperma f. sp. medicaginis 107–108, 109f, 110, 111f, 112
palmivora 555–556, 693
parasitica 107, 693–697, 696f
spp. 107, 696–697
syringae 693, 696
Pichia
burtonii 761–764
guilliermondii 475
spp. 552, 763
Piloderma 433
bicolor 39, 429
spp. 425
Piptoporus
betulinus 585, 591
betulinus var. sibiricus 585
pseudobetulinus 582–583
Pirella
circinans 292
Piromonas 261–262
communis 262
Pisolithus 356, 433
arhizus 37, 39, 350–356, 353f, 355f, 429
spp. 425
tinctorius 350
Pistillaria
sp. 63
Pithya
cupressina 62, 64
Plasmodiophoromycetes 306
Platygloea
peniophorae 691
Pleospora
infectoria 502
laricina 61
Pleurotus
abalonus 74, 80
cystidiosus 74, 80
noctilucens 604, 613
ostreatus 297, 380, 416
sp. 613
Plicaria 424
Pollaccia 324
Polyporus 591–592
anceps 592
badius 592
coronadensis 592
elegans 63–64
gayanus 592
lentus 586
mori 592
pseudobetulinus 583, 584–592, 584f, 586f, 588f, 591f
squamosus 592
tenuicaulis 591–592
tuberaster 592
umbellatus 592
versicolor 156
Polysphondylium
pallidum 116–118
sp. 292
violaceum 116–118
Polystictus
sp. 395
Poria
albobrunnea 189
alpina 189
gossypium 185
odora 187
oleagina 188–189
oleracea 190

radiculosa 190
sitchensis 188
sp. 190
Poroconiochaeta 129, 131
Pronectria 788
lichenicola 788
parietina 788–789
terrestris 790, 790f, 791
xanthoriae 788, 789–790, 789f
Prototheca 549
Pseudallescheria
boydii 568
spp. 566
Pseudocercospora 316–317, 319, 322
correae 319
exosporioides 314, **320**, 321f
juniperi 314, 317, **319**, 320f, 322
pini-densiflorae 314
Pseudocercosporella 221, 223
aestiva 223
anguioides 223
bambusae 223, 225
capsella 221, 225
cienfuegosiae 225
herpotrichoides 223
ipomoeae 225
nivea 225
ochracea 223
trichachnicola 221, 222f, 223, 225
Pseudohalonectria
adversaria 554, 557–559
falcata 555, 557559
lignicola 554–560
longirostrum 554, 556–559
lutea 555–559
phialidica 555, 557–559
spp. 554–561
Pseudohydnum
gelatinosum 63
Pseudospiropes 316–317
Pseudotis 734
abietina 739
Psilocybe
sp. 379
Puccinia 237
andropogonis 142
evodiae 142–143
pilocarpi 143
rugispora 141, 141f, 142–143
rutainsulara 142, 143, 143f
xanthoxyli 143
Pulveroboletus
ravenelii 177, 179
Pyricularia 509
grisea 509–510
oryzae 509–510
Pythiaceae 326, 328, 468
Pythiogeton 328
Pythium 326, 328, 460, 463, 465
aphanidermatum 278, 555
Pyxidiophora
kimbroughii 140
Questieriella 657
sp. 658, 658f
Ramalina
sp. 378
Ramaria 783
invalii 785
largentii 92–93, 95
Ramariaceae 783
Ramaricium 783
Ramichloridium
apiculatum 446
Ramularia 221
spp. 446, 448
Reniforma 549
strues 549, 549–552, 550–551f
Rhinocladiella
peruviana 528
Rhinotrichum 530
subalutaceum 528–531
Rhizoctonia
sp. 690
Rhizopogon 41, 181, 433
canadensis 179
cokeri 179
luteolus 179
occidentalis 179
parksii 179
rubescens 39, 429
semireticulatus 179
spp. 37, 425, 433
subareolatus 179
subcaerulescens 178–182
subradicatus 178–182
superiorensis 39, 429
villosulus 179
vinicolor 39, 179, 429
vulgaris 39, 429
Rhizopus
stolonifer 291–292, 718, 721–722, 724
Rhizosphaera
kalkhoffii 446–447
Rhodosporidium 217
Rhodotorula 473
glutinis 475–476
mucilaginosa 475
rubra 475–477
spp. 478
Rhytisma
corrugatum 767, 770
trib. Denudata 767
Ripartites
metrodii 783
Rogersiomyces
okefenokeensis 216
Rosellinia 342, 345
bambusae 342–343, 343–344f, 345, 347f, 348
geasteroides 345
mirabilis 343, 343–344f, 346f, 348, 354
sp. 348
sublimbata 348
Rozites 433
caperata 429
Russula 433
brevipes 92–93, 95
spp. 93
subfoetens 37, 39, 429

velenovskyi 37, 39, 429
xerampelina 92–93, 95
Saccharomyces 44–45, 328
cerevisiae 173, 266, 307, 309–310, 555–556
Saccoblastia
sp. 690
Saprolegnia 310, 328
australis 368
ferax 555
parasitica 364
terrestris 170
Saprolegniales 309
Sarcinella
questieri 657–658, 658f
Sarcodon
imbricatum 92–93, 95
Schiffnerula
corni 657, 658, 658f
Schizophyllum
commune 20–21, 172, 337, 505–508
Schizosaccharomyces
pombe 43–46, 44–46f
Sclerocystis 192, 194, 198–205, 256, 703–704, 708
alba 704, 706, 709, 712
clavispora 258, 704, 707–708, 710, 712
coccogena 258, 704–706, 709, 712
coremioides 194, 196, 199–200, 202, 258, 703–705, 705f, 708, 712, 780
cunninghamia 704, 711–712
dussii 258, 704–709, 712
indica 258, 704, 706–707, 709, 712
liquidambaris 704, 711–712
microcarpa 258, 704, 706, 707, 710, 712
pachycaulis 258, 704, 706–707, 709, 712
pakistanica 258, 704, 706, 710, 712
rubiformis 194, 196, 199–200, 202, 258, 704, 706–709, 712
sinuosa 258, 704, 706–708, 710, 712
taiwanense 711
taiwanensis 704, 712
Scleroderma 433
arenicola 39, 429
bovista 39, 429
citrinum 39, 429
spp. 425
Sclerogaster 655
columellatus 655–656, **656**, 656f
minor 656
pacificus 656
xerophila 656
Sclerotinia 415
borealis
sclerotiorum 358
trifoliorum
Sclerotium 328
rolfsii 358
Scodellina
onotica 739
Scoleconectria
cucurbitula 547
Scopulariopsis
sp. 446
Scutellinia
scutellata 62
Scutellospora 192, 194, 198–205, 256, 703
alborosea 258
aurigloba 258
calospora 194, 196, 199–200, 258
corralloidea 194, 196, 199–200, 258
dipapillosa 194, 196, 199–200, 258
dipurpurescens 194, 196, 199–200, 258, 797
erythropa 258, 264
fulgida 258
gilmorei 258
gregaria 194, 196, 199–200, 258
heterogama 194, 196, 199–200, 256, 258
minuta 258
nigra 258
pellucida 194, 196, 199–200, 258
persica 258, 264, 266
reticulata 258
savannicola 258
tricalypta 258
verrucosa 258
weresubiae 194, 196, 199–200, 258
Scytalidium 401
album 401
aurantiacum 401
circinatum 399, 400f, 401, 402f, 403
dimidiatum
lignicola 399, 401, 403
lignicolum 401
sp. 403
Secotium
albipes 617
Seiridium
cardinale 61–62, 64
Septonema
secedens 63
Septoria
nodorum 569
Serpula
himantioides 61
Seynesiella
juniperi 61
Sistotrema
brinkmanii 761–763
Skeletocutis
amorpha 63
Sommerstorffia
spinosa 467
Sordaria
fimicola 718, 721–722, 724
Sorosporium 480–481
provinciale 480–482, 484–485, 491
Sowerbyella
rhenana 739
Spegazzinia
tricholophila 63
Sphacelotheca 481
occidentalis 484
provinciale 482–483f, 486–490f
Sphaeria
doliolum 496
Sphaerocreas 703
coccogena 709
dussii 709
javanicum 703, 709

pubescens 703
Sphaerodes 129, 131
Sphaeromonas 261–262
communis 262
Sphaeronema
blepharistoma 55
Sphaerosporella
brunnea 37, 40–41
Spiniger
meineckellus 446–447
sp. 446, 762–763
spp. 448
Spizellomycetales 261
Sporidesmium
sp. 63
Sporisorium 485
reilianum 484
sorghi 491
Sporopachydermia 45
Stachybotrys
atra 291
spp. 291
Stagonospora
nodorum 569
Steccherinum
ballouii 332
Stemonitales 386
Stemonitis 386, 645
axifera 645
ferruginea 645
flavogenita 386–386, 643–646, 644f
sp. 291
Stenocephalum 530
subalutaceum 529–530f, **531**, 532
Stereaceae 622, 639–640
Stereales 639
Stereocaulon
dactylophyllum 445, 447–449
Stereum 622–623
abietinum 623–624, 627, 636
ambiguum 630
carpaticum 630
conchatum 624
glaucescens 625–626
hirsutum 270–271, 273
pinicolum 625–626
rugisporum 627, 634–636
sanguineolentum 170, 271
striatum 624
Stictis
radiata subsp. radiata 62, 65
Stigmina 318, 324
deflectens 314, 317
glomerulosa 313–314, 317
juniperina 313, 317
lautii 314
platani 324
Stilbothamnium
togoense 165–169, 168f
Stilbum
spp. 56
vulgare 56, 690–691
Strobilomyces
floccopus 37, 39, 429, 432
Stylopage 468
rhabdospora 465
Suillus 41, 176, 181, 328, 433
americanus 37, 39, 429
brevipes 39, 429
glandulosus 39, 429
granulatus 37, 39, 429
grevillei 39, 429
luteus 37, 39, 430
neoalbidipes 39, 430
ochraceoroseus 37, 39, 430
sinuspaulianus 39, 178, 181–182, 430
spectabilis 37, 39, 430
spp. 37, 425, 432–433
spraguei 39, 430
subluteus 39, 430
tomentosus 37, 39, 92–95, 430
umbonatus 40, 430, 432
viscidus 40, 430, 432
Taeniospora
gracilis var. gracilis 215
Telamonia
spp. 432
Tetracladium
marchalianum 216
Tetragoniomyces
uliginosus 689–690
Tetrameronycha 138
bonaerensis 138, 139–140, 139f
Thaxteriola
sp. 140
Thelephora 433
abietina 624
conchata 624
crispa 624
striata 624–625
terrestris 40, 430, 432
Thermomyces
lanuginosus 762–763
Thrombium 791
Thysanophora
penicillioides 446–447, 762–763
Tieghemella
turkestanica 525
Tilletia
foetida 491
indica 491
spp. 485
Tilletiaceae 491
Torula
herbarum 762–763
sp. 446–447
Torulomyces
lagena 761–763
Trametes 591–592
ljubarskyi 585
versicolor 433
Tremella
aurantia 270–271
aurantialba 270, 271, 272f, 273
encephala 271
mesenterica 271
spectabilis 271
spp. 270

steidleri 271
tremelloides 271
Tremellales 782
Trichia
bicolor 513, 514, 514f
crateriformis 513
fernbankensis 513
Trichoderma
coningii 292
hamatum 446–447, 718, 721–722
harzianum 292, 446–448
koningii 446–447
pseudokoningii 718, 721–722, 724
reesei 252
sp. 394, 761–763
spp. 7, 291, 448
viride 292, 446
Tricholoma 432–433
albobrunneum 40, 425, 430
aurantium 40, 425, 430
cingulatum 40, 425, 430
focale 40, 425, 430, 433
fulvum 40, 425, 431
imbricatum 40, 425, 431
myomyces 40, 425, 431
pessundatum 40, 425, 431
populinum 40, 425, 431
resplendens 40, 425, 431
saponaceum 92–95
spp. 37, 432
subg. Tricholoma sect. Genuina 425, 432
subg. Tricholoma sect. Tricholoma 425, 432
vaccinum 40, 425, 431–432
virgatum 40, 425, 431
Tricholomataceae 783
Tricholomopsis
araucariae 458
atrogrisea 458
decora 458
humboldtii 452, 453f, **456**, 457f
nigra 458
sect. Tricholomopsis 458
spp. 458
tricholomatoides 458
Trichomycetes 467
Trichosporon
beigelii 475
cutaneum 475–478
Trichothecium
griseum 509–510
roseum 718, 721–722, 724
Tricladium
chaetocladium 215
giganteum 560
Triscelophorus
septatus 216
Truncocolumella 181, 433
citrina 40, 176–182, 431, 433
rubra 179
spp. 425
Tryblidaria
washingtonensis 61
Tubulicrinis
regificus 61
Tylothallia 766
biformigera 766
Typhula 782
Tyromyces
chioneus 586
Ungulina
pseudobetulina 583
Uredinales 56, 141, 690
Uredo
asperata 142
fagarae 142–143
Uromyces
appendiculatus var. appendiculatus 237
Ustilaginaceae 480, 491
Ustilaginales 216–217
Ustilago 480–481
avenae 491
bullata 156
maydis 491, 506
spp. 485
Uthatobasidium
fusisporum 691
Valsaria
insitiva 547
Vascellum
pratense 17–19
Veluticeps 622–624, 639–640
abietina 624–628, 625f, 629f, 630–632, 638–639
africana 624, 625f, 628–630, 632, 639
ambigua 624, 625f, 629–632, 639
berkeleyi 622–624, 625f, 632–634, 638–639
fimbriata 624, 625f, 627–628, 629f, 631, **634**, 635–636, 639
fusca 632–633
fusispora 624, **636**, 637f, 638–639
heimii 639
philippiniensis 639
pimeriensis 624, 629, 638–639, 638f
pini 634, 639
setosa 639
tabacina 639
Venturia
lanea 61
Verticillium
sp. 63
spp. 446–447
Volvariella
volvacea 170
Williopsis
californica 475
Wingea
robertsii 475
Xanthoria
parietina 789
Xenomyces 708
ochraceus 703, 708
Xenosporella 742
berkeleyi 742, 745
larvalis 742, 747
pleurococca 742, 749
rosea 750
thaxteri 742, 750
Xenosporium 742
africanum 742–743, 744f

berkeleyi 743, 745, 746f
boivinii 742–743, 744f, 745
cubense 743, 747, 748f
indicum 742–743, 744f, 747
intermedium 743, 747, 748f
larvale 743, 746f, 747
mirabile 742–743, 749, 750f
pleurococcum 743, 748f, 749
shoranoorense 742–743, 748f, 749
subramanii 743, 749, 750f
thaxteri 743, 750, 751f
Xerocarpus
abietinus 624
glaucescens 625
Xerocomus 433
badius 37, 40, 425, 431–432
sect. Pseudophyllopori 454
subtomentosus 37, 40, 425, 431
Xeromphalina 651
campanella 61–63, 651–654, 652f
Xylariaceae 348
Zelleromyces 433
gilkeyae 40, 431, 433
Zoopagaceae 330, 465, 468
Zoopagales 330
Zoopage
atractospora 467
toechospora 465
Zoophagus 326, 460, 463, 465, 468
insidians 326–329, 460–468, 462–464f, 466f
tentaclum 331, 460, 465, 468
Zygomycetes 192, 194, 200, 204, 328, 467–468, 556, 704
Zygomycotina 465, 555
Zygorhynchus
moelleri 555
Zygosaccharomyces 472

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Abies
Armillaria ostoyae 417
Echinodontium tinctorium 332–333
Heterobasidion annosum 68
Trametes ljubarskyi 585
Veluticeps abietina 626
ambigua 632
berkeleyi 634
fimbriata 635
Xeromphalina campanella 651
Acer
Armillaria mellea 417
Cryptodiaporthe hystrix 569, 574
Trametes ljubarskyi 585
Aeschynomene
Colletotrichum gloeosporioides f. sp. aeschynomene 249
Agathis
Xenosporium larvale 749
Agave
Xenosporium berkeleyi 745
Alnus
Stenocephalum subalutaceum 532
Amanita
Hyalopycnis blepharistoma 49
Andropogon
Sorosporium provinciale 480, 482
Arachis
Cylindrocladium crotalariae 438
Araucaria
Cylindrocladium clavatum 438
Tricholomopsis araucariae 458
Arundinaria
Rosellinia mirabilis 345
Aspergillus
Paecilomyces lilacinus 393–395
Bambusa
Pseudocercosporella bambusae 223
Xenosporium berkeleyi 745
Belonuchus
Chantransiopsis platensis 140
Betula
Piptoporus betulinus 585
Brachyglottis
Xenosporium boivinii 747
Brassica
Pseudocercosporella capsella 225
Brevoortia
Aphanomyces sp. 364
Capsicum
Colletotrichum capsici 82
Carex
Melanotus defraudatus 493
Chamaecyparis
Aleurodiscus weirii 61
Antrodia xantha 61
Apostrasseria sp. 63
Armillaria sp. 61, 62
Asterina cupressina 61–62
Aureobasidium pullulans 61
Auricularia auricularis 62
Bertia moriformis 62
Botryobasidium obtusisporum 61
Botrytis cinera 63
Ceratocystis sp. 62
Chloroscypha seaveri 61–62
Coryneum berckmanii 61
Cryptosporiopsis sp. 63
Cyanodiscus occidentalis 61
Cyathus olla 62
Cylindrocarpon didymum 63
Cytospora abietis 61

Dacrymyces deliquescens subsp. deliquescens 62
Dacryobolus karstenii 61
Dermea sp. 62
Dictyosporium elegans 63
Diplomitoporus lenis 61
Ditangium sp. 63
Dothidea sp. 62
Engelhardtiella alba 61
Eriosphaeria vermicularis 61
Fomitopsis pinicola 61–62
Galerina sp. 62
Gelatinodiscus flavidus 61–62
Gibbera sp. 61
Gliocladium sp. 63
Gloeophyllum sepiarium 61–62
Gnomoniella sp. 62
Gymnosporangium nootkatense 61–62
Herpotrichia juniperi 61
  sp. 62
Heterobasidion annosum 62
Hyphodontia aspera 62
  pallidula 61
  subalutacea 61
Jaapia argillacea 61
Kabatina thujae 61
Kirchsteiniella thujina 61
Lactarius deliciosus 62
Leptographium sp. 63
Lycoperdon sp. 62
Mycelium radicis atrovirens 63
Naematoloma dispersum 63
Nectria sp. 62
Nidularia sp. 61
Oligoporus sericeomollis 61
Pestalotia thujae 61
Pestalotiopsis funerea 61
Pezicula sp. 62
Phanerochaete sanguinea 61
Phellinus pini 61
  weirii 61
Phialophora melinii 63
Phoma sp. 63
Phomopsis juniperovora 61
Phytophthora lateralis 61
Pistillaria sp. 63
Pithya cupressina 62
Pleospora laricina 61
Polyporus elegans 63
Pseudohydnum gelatinosum 63
Scutellinia scutellata 62
Seiridium cardinale 61–62
Septonema secedens 63
Serpula himantioides 61
Seynesiella juniperi 61
Skeletocutis amorpha 63
Spegazzinia tricholophila 63
Sporidesmium sp. 63
Stictis radiata subsp. radiata 62
Tryblidaria washingtonensis 61
Tubulicrinus regificus 61
Veluticeps berkeleyi 634
Venturia lanea 61
Verticillium sp. 63
Xeromphalina campanella 61–62
Cienfuegosia
  Pseudocercosporella cienfuegosiae 225
Cirsium
  Cryptomycocolax abnorme 671–672
Collybia
  Carcinomyces effibulatus 690
Coprosma
  Xenosporium boivinii 746
Cornus
  Questieriella sp. 657
  Sarcinella questieri 657
  Schiffnerula corni 657
  Xenosporium berkeleyi 745
Costus
  Xenosporium thaxteri 751
Cryptomeria
  Asperisporium sequoiae 315, 317
  Pseudocercospora juniperi 319
Cupressus
  Anaphysmene cupressi 322
  Asperisporium sequoiae 315, 317
  Pseudocercospora juniperi 319
Dendrocalamus
  Rosellinia bambusae 343
    mirabilis 345
  Xenosporium indicum 747
Diatrype
  Xenosporium larvale 749
Elaeis
  Xenosporium africanum 745
    larvale 749
    thaxteri 751
Elettaria
  Xenosporium intermedium 747
    mirabile 749
Eleusis
  Tetrameronycha bonaerensis 140
Erythrina
  Xenosporium berkeleyi 745
Eucalyptus
  Xenosporium thaxteri 751
Evodia
  Puccinia evodiae 142
Freycinetia
  Xenosporium boivinii 747
Ficus
  Cylindrocladium scoparium 438
Geniostoma
  Xenosporium boivinii 747
Glycine
  Cylindrocladium crotalariae 438
Gossypium
  Colletotrichum capsici 82
Hibiscus
  Xenosporium berkeleyi 745
Hordeum
  Pseudocercosporella anguioides 223
Humaria
  Hyalopycnis blepharistoma 49
Hymenocallis
  Phytophthora epistomium 659
Hyphoderma
  Platygloea peniophorae 691
Ilex

Cylindrocladium scoparium 438
Juniperus
Antrodia juniperina 186
Asperisporium juniperinum 317
sequoiae 315, 317
Cercospora sequoiae 313
sequoiae var. juniperi 313
Heterobasidion annosum 68
Pseudocercospora juniperi 317, 319
Stigmina glomerulosa 313, 317
juniperina 313
Kandelia
Halophytophthora epistomium 659
Labia
Tetrameronycha bonaerensis 138, 140
Lagerstromia
Cylindrocladium floridanum 438
Larix
Cercospora exosporioides 313
Pseudocercospora exosporioides 322
Trametes ljubarskyi 585
Veluticeps abietina 626
fimbriata 635
Leucothoe
Cylindrocladium scoparium 438
Lispinus
Tetrameronycha bonaerensis 140
Malus
Trametes ljubarskyi 585
Medicago
Cylindrocladium clavatum 438
scoparium 438
Nomia
Absidia idahoensis 523
Oleander
Xenosporium berkeleyi 745
Oryza
Dichotomophthoropsis safeeulaensis 392
Pyricularia grisea 510
Panicum
Pyricularia grisea 510
Pelea
Puccinia rutainsulara 142
Pennisetum
Xenosporium berkeleyi 745
Phanerochaete
Christiansenis pallida 690
Phyllocladus
Veluticeps fusispora 637
Phyllostachys
Rosellinia bambusae 343
mirabilis 345
sp. 348
Picea
Antrodia gossypia 186
sordida 186
Echinodontium tinctorium 332
Heterobasidion annosum 68, 74
Trametes ljubarskyi 585
Veluticeps abietina 626
ambigua 632
fimbriata 635
Xeromphalina campanella 651
Pinus
Antrodia odora 186
oleracea 190
sitchensis 186
Cylindrocladium clavatum 438
floridanum 438
Heterobasidion annosum 68, 74
Trametes ljubarskyi 585
Veluticeps abietina 626
berkeleyi 633
fimbriata 635
pimeriensis 638
Populus
Polyporus pseudobetulinus 583, 585–586
Stenocephalum subalutaceum 532
Trametes ljubarskyi 585
Xenosporium pleurococcum 749
Prunus
Cylindrocladium floridanum 438
Trametes ljubarskyi 585
Pseudotsuga
Armillaria ostoyae 417
Echinodontium tinctorium 332
Quercus
Armillaria mellea 417
Cylindrocladium crotalariae 438
Tricholomopsis humboldtii 452
Reticulitermes
Absidia coerulea 289
Antennopsis galica 289
Arthrobotrys oligospora 291
Aspergillus flavus 289
Cunninghamella echinulata 291
Rhizopus stolonifer 291
Rhizoctonia
Tetragoniomyces uliginosus 690
Rhizophora
Phytophthora epistomium 659
Rhododendron
Cylindrocladium scoparium 438
Rhopalostylis
Xenosporium berkeleyi 745
boivinii 747
thaxteri 751
Ripogonum
Xenosporium boivinii 747
Rosa
Cylindrocladium scoparium 438
Sabal
Xenosporium berkeleyi 745
Salix
Trametes ljubarskyi 585
Xenosporium berkeleyi 745
Sambucus
Stenocephalum subalutaceum 532
Schizostachyum
Rosellinia bambusae 343
mirabilis 345
Scleroderma
Hyalopycnis blepharistoma 49
Sequoia
Antrodia oleracea 190
Asperisporium sequoiae 316, 317
Sequoiadendron
Asperisporium sequoiae 316, 317

Sitanion
Acremonium starrii 223
Smilax
Xenosporium berkeleyi 745
Solidago
Pseudocercosporella nivea 225
Spartina
Clavatospora bulbosa 793
Spongovostox
Tetrameronycha bonaerensis 138, 140
Stereum
Tremella aurantia 271
aurantialba 271
encephala 271
spectabilis 271
steidleri 271
tremelloides 271
Taxodium
Asperisporium sequoiae 316, 317
Thrombium
Pronectria terrestris 790
Thuja
Aleurodiscus occidentalis 754
thujae 755
Asperisporium sequoiae 316, 317
Heterobasidion annosum 68
Xeromphalina campanella 651
Tilia
Xenosporium berkeleyi 745
Trichachne
Pseudocercosporella trichachnicola 221
Triticum
Pseudocercosporella aestiva 223
Tsuga
Aleurodiscus tsugae 756
Echinodontium tinctorium 332
Heterobasidion annosum 68
Veluticeps abietina 627
fimbriata 635
Ulmus
Armillaria tabescens 417
Uthatobasidium
Phragmoxenidium mycophilum 691
Vitis
Xenosporium berkeleyi 745
Xantholinus
Chantransiopsis xantholini 140
Tetrameronycha bonaerensis 140
Xanthoria
Pronectria xanthoriae 789